

# 2019 Comprehensive Formulary

---

## (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on 01/31/2019. For more recent information or other questions, please contact TEAMStar Medicare Part D (PDP) Customer Service at 1-866-524-4173 or, for TTY users, 711, 7 days a week, from 8:00am to 8:00pm in your local time zone, or visit <http://www.teamstarpartd.com>.

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.



## 2019 TEAMStar Medicare Part D (PDP) Formulary

When this drug list (formulary) refers to “we,” “us,” or “our,” it means The International Brotherhood of Teamsters Voluntary Employee Benefits Trust. When it refers to “plan” or “our plan,” it means TEAMStar Medicare Part D (PDP).

This document includes a list of the drugs (formulary) for our plan which is current as of 01/31/2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

### What is the TEAMStar Medicare Part D (PDP) Formulary?

A formulary is a list of covered drugs selected by TEAMStar Medicare Part D (PDP) in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. TEAMStar Medicare Part D (PDP) will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a TEAMStar Medicare Part D (PDP) network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

### Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of 01/31/2019. To get updated information about the drugs covered by TEAMStar Medicare Part D (PDP), please contact us. Our contact information appears on the front and back cover pages. We will notify you of formulary changes on your monthly explanation of benefits (EOB).

### How do I use the Formulary?

There are two ways to find your drug within the formulary:

#### **Medical Condition**

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular/Hypertensive/Lipids.” If you know what your drug is used for, look for the category name in the list that begins on page 3. Then look under the category name for your drug.

#### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

TEAMStar Medicare Part D (PDP) covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## What are low cost generic drugs?

Union-Designated pharmacies will fill Low Cost Generics at a low copay of \$5 for a one-month supply. For more details, please go to <http://www.teamstarpartd.com> to download the list of Low Cost Generics and Union-Designated pharmacies.

## Are there any other restrictions on coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** TEAMStar Medicare Part D (PDP) requires you (or your physician) to get prior authorization for certain drugs. This means that you will need to get approval from TEAMStar Medicare Part D (PDP) before you fill your prescriptions. If you don't get approval, TEAMStar Medicare Part D (PDP) may not cover the drug.
- **Quantity Limits:** For certain drugs, TEAMStar Medicare Part D (PDP) limits the amount of the drug that TEAMStar Medicare Part D (PDP) we will cover. For example, TEAMStar Medicare Part D (PDP) provides 30 pills per prescription for Zetia. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, TEAMStar Medicare Part D (PDP) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, TEAMStar Medicare Part D (PDP) may not cover Drug B unless you try Drug A first. If Drug A does not work for you, TEAMStar Medicare Part D (PDP) will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization, and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask TEAMStar Medicare Part D (PDP) to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the TEAMStar Medicare Part D (PDP)'s formulary?" below for information about how to request an exception.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that TEAMStar Medicare Part D (PDP) does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by TEAMStar Medicare Part D (PDP). When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by TEAMStar Medicare Part D (PDP).
- You can ask TEAMStar Medicare Part D (PDP) to make an exception and cover your drug. See below for information about how to request an exception.

## How do I request an exception to the TEAMStar Medicare Part D (PDP)'s Formulary?

You can ask TEAMStar Medicare Part D (PDP) to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level (if this drug is not on the specialty tier). If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, TEAMStar Medicare Part D (PDP) limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, TEAMStar Medicare Part D (PDP) will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering, or utilization restriction exception.

**When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan, you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary, but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

## **What if there is a change in my level of care?**

A level of care change is defined as when enrollees:

- Enter long term care (LTC) facilities from hospitals or other settings;
- Leave LTC facilities and return to the community;
- Are discharged from a hospital to a home;
- End a skilled nursing facility (SNF) stay covered under Medicare Part A (where all pharmacy charges are covered), and must revert to coverage under their Part D plan formulary;
- Revert from hospice status to standard Medicare Part A and B benefits; and
- Are discharged from psychiatric hospitals with medication regimens that are highly individualized

While Part A does provide reimbursement for "a limited supply" to facilitate beneficiary discharge, you must be permitted to have a full outpatient supply available to continue therapy once this limited supply is exhausted. Level of Care supplies will be available for your prescription, when appropriate, that are received at retail, home infusion, or mail order.

We do not use an early-refill restriction to limit appropriate and necessary access to your Part D benefit. In instances where you are admitted to, or discharged from, a long term care facility, we allow you to access a refill upon admission or discharge. However, we may use early-refill restrictions for safety reasons.

## **For more information**

For more detailed information about your TEAMStar Medicare Part D (PDP) prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about TEAMStar Medicare Part D (PDP), please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **TEAMStar Medicare Part D (PDP)'s Formulary**

The formulary that begins on page 3 provides coverage information about the drugs covered by TEAMStar Medicare Part D (PDP). If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., **PRILOSEC**) and generic drugs are listed in lower-case italics (e.g., *omeprazole*).

The information in the Requirements/Limits column tells you if TEAMStar Medicare Part D (PDP) has any special requirements for coverage of your drug.

### **Low Cost Generics Program**

Through our Low Cost Generic Program, members can receive a 1-month supply of certain Generic drugs for only \$5 when filled at a Union-Designated pharmacy. All strengths and dosage forms of a covered drug may not be eligible for the Low Cost Generic Program. Please refer to the flyer you received entitled "Low Cost Generic Program for 2019" to see which drugs are covered under this program.

## List of Abbreviations

**AGE (Max 64 Years):** Age Restriction. Age is older than x

**AGE (Min 2 years):** Age Restriction. Age is younger than x

**AGE (Min 10 years and Max 5 years):** Age Restriction. Age is between x and y

**AGE (Min 14 years and Max 45 years):** Age Restriction. Age is outside x and y

**BvD:** This prescription drug has a Part B versus D administrative prior authorization requirement. This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

**CB:** Capped Limit (4 each per 30 days)

**EA:** Each.

**EX:** Excluded Drugs

**FF:** First Fill Free

**GC:** Gap Coverage

**GF:** Gender Restriction. Female Only.

**GM:** Gender Restriction. Male Only.

**HI:** Home Infusion

**LA:** Limited Access

**NM:** Retail Only.

**NDS:** Non-Extended Day Supply

**PA:** Prior Authorization. TEAMStar Medicare Part D (PDP) requires you [or your physician] to get prior authorization for certain drugs. This means that you will need to get approval from TEAMStar Medicare Part D (PDP) before you fill your prescriptions. If you don't get approval, TEAMStar Medicare Part D (PDP) may not cover the drug.

**PA NSO:** Prior Authorization for New Starts Only.

**PA BVD:** Prior Authorization Part D vs Part B Only.

**PA-HRM:** Prior Authorization for High Risk Meds

**QL:** Quantity Limit. For certain drugs, TEAMStar Medicare Part D (PDP) limits the amount of the drug that TEAMStar Medicare Part D (PDP) will cover. For example, TEAMStar Medicare Part D (PDP) provides 31 pills per prescription for Zetia. This may be in addition to a standard one month or three month supply.

**ST:** Step Therapy. In some cases, TEAMStar Medicare Part D (PDP) requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, TEAMStar Medicare Part D (PDP) may not cover drug B unless you try Drug A first. If Drug A does not work for you, TEAMStar Medicare Part D (PDP) will then cover Drug B.

**ST NSO:** Step Therapy for New Starts Only



## Table of Contents

Analgesics.....	3
Anesthetics.....	7
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	9
Antibacterials.....	10
Anticancer Agents.....	16
Anticholinergic Agents.....	27
Anticonvulsants.....	27
Antidementia Agents.....	30
Antidepressants.....	30
Antidiabetic Agents.....	32
Antifungals.....	36
Antigout Agents.....	38
Antihistamines.....	38
Anti-Infectives (Skin And Mucous Membrane).....	38
Antimigraine Agents.....	38
Antimycobacterials.....	39
Antinausea Agents.....	40
Antiparasite Agents.....	41
Antiparkinsonian Agents.....	42
Antipsychotic Agents.....	43
Antivirals (Systemic).....	47
Blood Products/Modifiers/Volume Expanders.....	52
Caloric Agents.....	55
Cardiovascular Agents.....	58
Central Nervous System Agents.....	67
Contraceptives.....	69
Dental And Oral Agents.....	75
Dermatological Agents.....	75
Devices.....	79
Enzyme Replacement/Modifiers.....	80
Eye, Ear, Nose, Throat Agents.....	81
Gastrointestinal Agents.....	84
Genitourinary Agents.....	88
Heavy Metal Antagonists.....	88
Hormonal Agents, Stimulant/Replacement/Modifying.....	89

Immunological Agents.....	94
Inflammatory Bowel Disease Agents.....	102
Irrigating Solutions.....	103
Metabolic Bone Disease Agents.....	103
Miscellaneous Therapeutic Agents.....	104
Ophthalmic Agents.....	106
Replacement Preparations.....	107
Respiratory Tract Agents.....	110
Skeletal Muscle Relaxants.....	113
Sleep Disorder Agents.....	114
Vasodilating Agents.....	114
Vitamins And Minerals.....	115

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	GC; QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	2	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	2	GC; QL (180 per 30 days)
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>	2	GC
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	GC
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	4	GC; QL (4 per 28 days)
<i>butalbital compound w/codeine oral capsule 30-50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg, 50-325-40-30 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>butorphanol tartrate nasal spray, non-aerosol 10 mg/ml</i>	2	GC; QL (5 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	2	GC; QL (180 per 30 days)
EMBEDA ORAL CAPSULE, ORAL ONLY, EXT. REL PELL 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG	4	GC; QL (60 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	2	GC; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	5	PA; GC; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fentanyl transdermal patch 72 hour 100 mcg/1hr, 12 mcg/1hr, 25 mcg/1hr, 50 mcg/1hr, 75 mcg/1hr</i>	2	GC; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>	2	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC; QL (180 per 30 days)
HYSINGLA ER ORAL TABLET, ORAL ONLY, EXT. REL. 24 HR 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	GC; QL (30 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; GC; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	GC; QL (30 per 30 days)
<i>morphine 10 mg/ml isecure syrg llf, plf, suv, inner 10 mg/ml</i>	2	GC
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	GC; QL (180 per 30 days)
<i>morphine injection syringe 10 mg/ml</i>	2	GC
<i>morphine intravenous solution 10 mg/ml</i>	2	GC
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	GC; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	GC; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	2	GC; QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG	3	GC; QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG	3	GC; QL (181 per 30 days)
<i>oxycodone oral capsule 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 20 mg, 30 mg</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	3	GC; QL (60 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	2	GC; QL (1800 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	2	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	GC; QL (60 per 30 days)
<i>oxymorphone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>oxymorphone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	2	GC; QL (60 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	5	GC; NDS
<i>tencon oral tablet 50-325 mg</i>	2	GC; QL (180 per 30 days)
<i>tramadol oral tablet 50 mg</i>	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>vicodin es oral tablet 7.5-300 mg</i>	2	GC; QL (180 per 30 days)
<i>vicodin hp oral tablet 10-300 mg</i>	2	GC; QL (180 per 30 days)
<i>vicodin oral tablet 5-300 mg</i>	2	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 13.5 MG, 18 MG, 9 MG	3	GC; QL (60 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 27 MG	3	GC; QL (120 per 30 days)
XTAMPZA ER ORAL CAPSULE,SPRINKLE,ER 12HR TMPRR 36 MG	3	GC; QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	2	GC; QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	2	GC; QL (180 per 30 days)
ZOHYDRO ER ORAL CAPSULE, ORAL ONLY, ER 12HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG	4	GC; QL (60 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	GC
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	2	GC
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg, 50 mg, 75 mg</i>	2	GC
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	2	GC
<i>diclofenac sodium topical gel 3 %</i>	2	PA; GC; QL (100 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg, 75-200 mg-mcg</i>	2	GC
<i>diflunisal oral tablet 500 mg</i>	2	GC
DUEXIS ORAL TABLET 800-26.6 MG	5	PA; GC; NDS; QL (90 per 30 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg, 500 mg</i>	2	GC
<i>fenoprofen oral tablet 600 mg</i>	2	GC
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	4	PA; GC
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i>	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>indomethacin oral capsule 25 mg</i>	1	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>indomethacin oral capsule 50 mg</i>	1	GC; QL (120 per 30 days)
<i>indomethacin oral capsule, extended release 75 mg</i>	2	GC; QL (60 per 30 days)
<i>indomethacin sodium intravenous recon soln 1 mg</i>	2	GC
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	2	GC
<i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>	2	GC
<i>ketorolac injection cartridge 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection cartridge 30 mg/ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac injection solution 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection solution 30 mg/ml (1 ml)</i>	2	GC; QL (20 per 30 days)
<i>ketorolac injection syringe 15 mg/ml</i>	2	GC; QL (40 per 30 days)
<i>ketorolac injection syringe 30 mg/ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular cartridge 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	2	GC; QL (20 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	4	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>	1	GC
<i>naproxen oral tablet,delayed release (drlec) 375 mg, 500 mg</i>	2	GC
<b>PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)</b>	5	PA; GC; NDS; QL (224 per 28 days)
<i>piroxicam oral capsule 10 mg, 20 mg</i>	2	GC
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
<i>tolmetin oral capsule 400 mg</i>	2	GC
<i>tolmetin oral tablet 200 mg, 600 mg</i>	2	GC
<b>VIMOVO ORAL TABLET,IR,DELAYED REL,BIPHASIC 375-20 MG, 500-20 MG</b>	5	PA; GC; NDS; QL (60 per 30 days)
<b>VOLTAREN TOPICAL GEL 1 %</b>	3	GC
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 40 mg/ml (4 %), 5 mg/ml (0.5 %)</i>	2	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	2	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	GC
<i>lidocaine topical adhesive patch,medicated 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	GC; QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	GC; QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)-1 MG (42)	3	GC; QL (106 per 365 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
LUCEMYRA ORAL TABLET 0.18 MG	5	GC; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naltrexone oral tablet 50 mg</i>	2	GC
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	GC; QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	GC; QL (1008 per 90 days)
SUBOXONE SUBLINGUAL FILM 12-3 MG, 8-2 MG	3	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SUBOXONE SUBLINGUAL FILM 2-0.5 MG, 4-1 MG	3	GC; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	3	GC; QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	3	GC; QL (60 per 30 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (120 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	2	GC; QL (90 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clobazam oral suspension 2.5 mg/ml</i>	2	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	2	PA NSO; GC; QL (60 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	2	GC; QL (180 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	GC
DIASTAT RECTAL KIT 2.5 MG	4	GC
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam intensol oral concentrate 5 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	4	GC
<i>estazolam oral tablet 1 mg</i>	2	GC; QL (60 per 30 days)
<i>estazolam oral tablet 2 mg</i>	2	GC; QL (30 per 30 days)
<i>flurazepam oral capsule 15 mg</i>	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flurazepam oral capsule 30 mg</i>	2	GC; QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml</i>	1	GC; QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i>	2	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	GC; QL (2 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i>	2	GC; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i>	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i>	1	GC; QL (150 per 30 days)
<i>midazolam oral syrup 2 mg/ml</i>	2	GC; QL (10 per 30 days)
ONFI ORAL SUSPENSION 2.5 MG/ML	5	PA NSO; GC; NDS; QL (480 per 30 days)
ONFI ORAL TABLET 10 MG, 20 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	GC; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i>	2	GC; QL (30 per 30 days)
<i>triazolam oral tablet 0.125 mg</i>	2	GC; QL (120 per 30 days)
<i>triazolam oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA BvD; GC; NDS
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	2	GC
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	2	GC
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	GC; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i>	5	PA BvD; GC; NDS
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	2	GC
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antibacterials, Miscellaneous</b>		
<i>baciiim intramuscular recon soln 50,000 unit</i>	2	GC
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	GC
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>	2	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	2	GC
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i>	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml), 150 mg/ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	5	PA BvD; GC; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	5	GC; NDS
<b>FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML</b>	4	GC
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	5	GC; NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	5	GC; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	GC; NDS
<i>linezolid oral tablet 600 mg</i>	2	GC
<i>methenamine hippurate oral tablet 1 gram</i>	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	GC
<i>metronidazole oral tablet 250 mg, 500 mg</i>	2	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i>	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
<b>SYNERCID INTRAVENOUS RECON SOLN 500 MG</b>	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	2	PA BvD; GC
<i>vancomycin oral capsule 125 mg</i>	2	GC
<i>vancomycin oral capsule 250 mg</i>	5	GC; NDS
<b>XIFAXAN ORAL TABLET 200 MG</b>	5	PA; GC; NDS; QL (9 per 30 days)
<b>XIFAXAN ORAL TABLET 550 MG</b>	5	PA; GC; NDS
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefadroxil oral tablet 1 gram</i>	2	GC
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	4	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefditoren pivoxil oral tablet 200 mg, 400 mg</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	4	GC
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>cefotaxime injection recon soln 1 gram, 10 gram, 2 gram, 500 mg</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	2	GC
<i>ceftibuten oral capsule 400 mg</i>	4	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ceftibuten oral suspension for reconstitution 180 mg/5 ml</i>	4	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral capsule 750 mg</i>	2	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	GC
SUPRAX ORAL CAPSULE 400 MG	4	GC
SUPRAX ORAL SUSPENSION FOR RECONSTITUTION 500 MG/5 ML	4	GC
<i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	GC; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i>	2	GC
<i>azithromycin oral packet 1 gram</i>	4	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	2	GC
<i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack)</i>	1	GC
<i>azithromycin oral tablet 600 mg</i>	2	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	GC
DIFICID ORAL TABLET 200 MG	5	ST; GC; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	GC; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ertapenem injection recon soln 1 gram</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg, 500 mg</i>	2	GC
INVANZ INJECTION RECON SOLN 1 GRAM	4	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	GC
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin sodium intravenous recon soln 2 gram</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	GC
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram, 2 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	GC; NDS
<i>nafcillin intravenous recon soln 2 gram</i>	5	GC; NDS
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	2	GC
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin g potassium injection recon soln 20 million unit</i>	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	PA BvD; GC
<b>Quinolones</b>		
<b>BAXDELA ORAL TABLET 450 MG</b>	5	PA; GC; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i>	2	GC
<i>ciprofloxacin hcl oral tablet 100 mg</i>	2	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>ciprofloxacin lactate intravenous solution 200 mg/20 ml, 400 mg/40 ml</i>	2	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	GC
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	4	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Tetracyclines</b>		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	2	GC
<i>doxy-100 intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	2	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	GC
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 150 mg, 200 mg, 50 mg, 75 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	GC
<i>doxycycline monohydrate oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC
MINOCIN INTRAVENOUS RECON SOLN 100 MG	3	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxyne nl oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>okebo oral capsule 100 mg, 75 mg</i>	2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i>	5	GC; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
<i>abiraterone oral tablet 250 mg</i>	5	PA NSO; GC; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	GC; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; GC; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; GC; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; GC; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; GC; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	GC; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; GC; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; GC; NDS; QL (30 per 30 days)
<i>anastrozole oral tablet 1 mg</i>	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	GC; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; GC; NDS
<i>azacitidine injection recon soln 100 mg</i>	5	GC; NDS
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; GC; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; GC; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; GC; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; GC; NDS
<i>bexarotene oral capsule 75 mg</i>	5	PA NSO; GC; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i>	2	GC
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	PA BvD; GC
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; GC; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; GC; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; GC; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	GC
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD; GC
<i>clofarabine intravenous solution 20 mg/20 ml</i>	5	GC; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; GC; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; GC; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; GC; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; GC; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; GC; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; GC; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i>	5	GC; NDS
<i>docetaxel intravenous solution 20 mg/2 ml (10 mg/ml), 20 mg/ml, 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml), 80 mg/8 ml (10 mg/ml)</i>	5	GC; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i>	5	PA BvD; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	GC
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	GC
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	GC
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	GC
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	GC
EMCYT ORAL CAPSULE 140 MG	5	GC; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; GC; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	GC
<i>etoposide intravenous solution 20 mg/ml</i>	2	GC
<i>exemestane oral tablet 25 mg</i>	2	GC
FARESTON ORAL TABLET 60 MG	5	GC; NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; GC; NDS
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	5	GC; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	2	GC
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; GC; NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	5	GC; NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	5	GC; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 40 MG, 5 MG	4	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GLEOSTINE ORAL CAPSULE 100 MG	5	GC; NDS
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	5	PA NSO; GC; NDS
HEXALEN ORAL CAPSULE 50 MG	5	GC; NDS
<i>hydroxyurea oral capsule 500 mg</i>	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; GC; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i>	2	PA BvD; GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	PA BvD; GC
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	5	PA BvD; GC; NDS
<i>imatinib oral tablet 100 mg</i>	5	PA NSO; GC; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i>	5	PA NSO; GC; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG, 70 MG	5	PA NSO; GC; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; GC; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; GC; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; GC; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; GC; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; GC; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml, 500 mg/25 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	GC; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; GC; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; GC; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; GC; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; GC; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; GC; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; GC; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; GC; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; GC; NDS
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; GC; LA; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; GC; NDS
<i>letrozole oral tablet 2.5 mg</i>	1	GC
LEUKERAN ORAL TABLET 2 MG	5	GC; NDS
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	GC
LIBTAYO INTRAVENOUS SOLUTION 350 MG/7 ML (50 MG/ML)	5	PA NSO; GC; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; GC; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; GC; NDS; QL (80 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LORBRENA ORAL TABLET 100 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; GC; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	5	GC; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	GC; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	GC; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	GC; NDS
LYNPARZA ORAL CAPSULE 50 MG	5	PA NSO; GC; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	GC; NDS
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; GC; NDS; QL (4 per 28 days)
MATULANE ORAL CAPSULE 50 MG	5	GC; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; GC; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i>	5	GC; NDS
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NERLYNX ORAL TABLET 40 MG	5	PA NSO; GC; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i>	5	GC; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; GC; NDS; QL (3 per 28 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; GC; LA; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; GC; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	PA BvD; GC; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; GC; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	GC
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	PA BvD; GC
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	PA NSO; GC; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; GC; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; GC; NDS; QL (100 per 21 days)
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; GC; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	GC; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	GC; NDS
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; GC; LA; NDS; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; GC; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; GC; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; GC; NDS; QL (224 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	4	GC
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; GC; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; GC; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; GC; NDS; QL (28 per 28 days)
TABLOID ORAL TABLET 40 MG	5	GC; NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; GC; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TARCEVA ORAL TABLET 100 MG, 25 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
TARCEVA ORAL TABLET 150 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; GC; NDS; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; GC; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	5	PA NSO; GC; NDS; QL (20 per 21 days)
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; GC; NDS
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	5	PA BvD; GC; NDS; QL (4 per 28 days)
<i>thiotepa injection recon soln 15 mg</i>	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	GC
<i>topotecan intravenous recon soln 4 mg</i>	5	GC; NDS
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	5	GC; NDS
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	5	PA BvD; GC; NDS; QL (4 per 28 days)
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	GC; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	GC; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	GC; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	GC; NDS
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	5	GC; NDS
TYKERB ORAL TABLET 250 MG	5	GC; NDS
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; GC; NDS
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	5	GC; NDS
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; GC; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; GC; NDS
VENCLEXTA ORAL TABLET 10 MG	4	PA NSO; GC; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; GC; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	4	PA NSO; GC; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; GC; LA; NDS; QL (42 per 28 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; GC; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD; GC
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD; GC
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	2	GC
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; GC; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST; GC
XOSPATA ORAL TABLET 40 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; GC; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; GC; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; GC; NDS
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; GC; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	GC; QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	GC; QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	GC; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; GC; NDS; QL (90 per 30 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; GC; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Anticholinergic Agents</b>		
<b>Antimuscarinics/Antispasmodics</b>		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	4	GC
<i>propantheline oral tablet 15 mg</i>	2	GC
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG	5	GC; NDS
BANZEL ORAL SUSPENSION 40 MG/ML	5	GC; NDS
BANZEL ORAL TABLET 200 MG, 400 MG	5	GC; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	GC; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	5	GC; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	GC; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	2	GC
<i>carbamazepine oral suspension 100 mg/5 ml</i>	2	GC
<i>carbamazepine oral tablet 200 mg</i>	2	GC
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	2	GC
<i>carbamazepine oral tablet, chewable 100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	GC
DILANTIN ORAL CAPSULE 30 MG	2	GC
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	2	GC
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i>	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; GC; NDS
<i>epitol oral tablet 200 mg</i>	2	GC
<i>ethosuximide oral capsule 250 mg</i>	2	GC
<i>ethosuximide oral solution 250 mg/5 ml</i>	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i>	2	GC
<i>felbamate oral tablet 400 mg, 600 mg</i>	2	GC
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	4	GC
FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	5	GC; NDS
FYCOMPA ORAL TABLET 2 MG	4	GC
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	1	GC
<i>gabapentin oral solution 250 mg/5 ml</i>	2	GC
<i>gabapentin oral tablet 600 mg, 800 mg</i>	2	GC
GRALISE 30-DAY STARTER PACK ORAL TABLET EXTENDED RELEASE 24 HR 300 MG (9)- 600 MG (69)	4	ST; GC; QL (78 per 30 days)
GRALISE ORAL TABLET EXTENDED RELEASE 24 HR 300 MG, 600 MG	4	ST; GC; QL (90 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg (42) -100 mg (14)</i>	2	GC
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i>	2	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	2	GC
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	2	GC
<i>levetiracetam oral solution 100 mg/ml</i>	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i>	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i>	2	GC
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	3	GC; QL (90 per 30 days)
LYRICA ORAL SOLUTION 20 MG/ML	3	GC; QL (900 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i>	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	4	GC
PEGANONE ORAL TABLET 250 MG	4	GC
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i>	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i>	2	GC
<i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>primidone oral tablet 250 mg, 50 mg</i>	2	GC
ROWEEPRA ORAL TABLET 1,000 MG, 500 MG, 750 MG	2	GC
SABRIL ORAL TABLET 500 MG	5	GC; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; GC; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; GC; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i>	2	GC
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i>	4	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>	1	GC
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 200 MG	5	GC; NDS; QL (60 per 30 days)
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
<i>vigabatrin oral powder in packet 500 mg</i>	5	GC; NDS
<i>vigadrone oral powder in packet 500 mg</i>	5	GC; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	GC; QL (200 per 5 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VIMPAT ORAL SOLUTION 10 MG/ML	3	GC; QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	GC; QL (60 per 30 days)
<i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i>	2	GC; QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	2	GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral tablets, dose pack 5-10 mg</i>	4	GC; QL (49 per 28 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	GC; QL (56 per 365 days)
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	GC; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i>	2	GC; QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	2	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	2	GC
<i>desipramine oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	2	GC
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 60 mg</i>	2	GC; QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 30 mg, 40 mg</i>	2	GC; QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	GC; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	1	GC
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	GC; QL (56 per 365 days)
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	GC; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	2	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	GC
<i>mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i>	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	1	GC
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i>	2	GC
<b>PAXIL ORAL SUSPENSION 10 MG/5 ML</b>	4	GC
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i>	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC
<i>sertraline oral concentrate 20 mg/ml</i>	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>tranylcypromine oral tablet 10 mg</i>	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	2	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
<b>TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG</b>	3	ST; GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	2	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
<i>venlafaxine oral tablet extended release 24hr 150 mg, 37.5 mg, 75 mg</i>	2	GC
<b>VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG</b>	3	ST; GC; QL (30 per 30 days)
<b>VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)</b>	3	ST; GC; QL (30 per 180 days)
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<b>GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG</b>	3	GC
<b>GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG</b>	3	ST; GC; QL (30 per 30 days)
<b>INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG</b>	3	ST; GC; QL (60 per 30 days)
<b>INVOKAMET ORAL TABLET 50-500 MG</b>	3	ST; GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	ST; GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	3	ST; GC; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	3	ST; GC; QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	3	GC; QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	GC; QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	GC; QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	GC; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	ST; GC; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	GC; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	GC; QL (30 per 30 days)
KAZANO ORAL TABLET 12.5-1,000 MG, 12.5-500 MG	4	GC; QL (60 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; GC; NDS; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i>	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	GC; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	2	GC; QL (90 per 30 days)
NESINA ORAL TABLET 12.5 MG, 25 MG, 6.25 MG	4	GC; QL (30 per 30 days)
OSENI ORAL TABLET 12.5-15 MG, 12.5-30 MG, 12.5-45 MG, 25-15 MG, 25-30 MG, 25-45 MG	4	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/0.75 ML (2 MG/1.5 ML)	3	GC; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i>	1	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	2	GC; QL (150 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; GC; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; GC; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	ST; GC; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	ST; GC; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	ST; GC; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	GC; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	GC; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	GC; QL (9 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	GC; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	GC; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	GC; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	GC; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	GC; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	GC; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	GC; QL (40 per 28 days)
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	3	GC; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	GC; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	GC; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	GC; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	GC; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	ST; GC; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	GC; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	GC; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; GC; QL (15 per 28 days)
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>glipizide oral tablet extended release 24hr 10 mg</i>	2	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	2	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	2	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	2	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	GC
<i>tolazamide oral tablet 250 mg</i>	2	GC; QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	2	GC; QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	2	GC; QL (180 per 30 days)
<b>Antifungals</b>		
<b>Antifungals</b>		
<b>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</b>	5	PA BvD; GC; NDS
<b>AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG</b>	5	PA BvD; GC; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>casprofungin intravenous recon soln 50 mg, 70 mg</i>	5	GC; NDS
<i>ciclopirox topical cream 0.77 %</i>	2	GC
<i>ciclopirox topical gel 0.77 %</i>	2	GC
<i>ciclopirox topical shampoo 1 %</i>	2	GC
<i>ciclopirox topical solution 8 %</i>	2	GC
<i>ciclopirox topical suspension 0.77 %</i>	2	GC
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC
<i>clotrimazole topical cream 1 %</i>	2	GC
<i>clotrimazole topical solution 1 %</i>	2	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	GC
<i>econazole topical cream 1 %</i>	2	GC
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i>	5	GC; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	2	GC
<i>itraconazole oral capsule 100 mg</i>	2	GC
<i>itraconazole oral solution 10 mg/ml</i>	4	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC
<i>ketoconazole topical shampoo 2 %</i>	2	GC
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	5	GC; NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	GC; NDS
NOXAFIL ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG	5	GC; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	GC
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC
<i>nystatin topical powder 100,000 unit/gram</i>	2	GC
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	2	GC
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	2	GC
<i>nystop topical powder 100,000 unit/gram</i>	2	GC
SPORANOX ORAL SOLUTION 10 MG/ML	5	GC; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous solution 200 mg</i>	5	PA BvD; GC; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	5	GC; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg, 300 mg</i>	1	GC
<i>colchicine oral capsule 0.6 mg</i>	2	GC
<i>colchicine oral tablet 0.6 mg</i>	2	GC
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
ULORIC ORAL TABLET 40 MG, 80 MG	3	GC; QL (30 per 30 days)
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>	2	GC
<i>carbinoxamine maleate oral tablet 4 mg</i>	2	GC
<i>clemastine oral tablet 2.68 mg</i>	2	GC
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>cyproheptadine oral tablet 4 mg</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	1	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	2	GC
<i>levocetirizine oral tablet 5 mg</i>	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC
<i>promethazine-phenylephrine oral syrup 6.25-5 mg/5 ml</i>	2	GC
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i>	2	GC
<i>metronidazole vaginal gel 0.75 %</i>	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG (70 MG/ML) 140 MG DOSE - 2 AUTOINJECTORS 70 MG/ML	3	PA; GC; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AIMOVIG 70 MG/ML AUTOINJECTOR 70 MG/ML	3	PA; GC; QL (1 per 30 days)
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	3	PA; GC; QL (1 per 30 days)
AJOVY SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; GC; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	5	GC; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	5	GC; NDS; QL (8 per 28 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	2	GC; QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	2	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet 10 mg, 5 mg</i>	2	GC; QL (18 per 28 days)
<i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i>	2	GC; QL (18 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/lactuation, 5 mg/lactuation</i>	2	GC; QL (12 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC; QL (18 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	2	GC; QL (12 per 28 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	2	GC; QL (12 per 28 days)
<b>Antimycobacterials</b>		
<b>Antimycobacterials</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	GC
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg, 400 mg</i>	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	4	GC
PRIFTIN ORAL TABLET 150 MG	4	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg</i>	2	GC
<i>rifampin intravenous recon soln 600 mg</i>	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG	5	PA; GC; NDS; QL (188 per 168 days)
TRECTOR ORAL TABLET 250 MG	4	GC
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	GC
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD; GC
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i>	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	2	PA BvD; GC; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	GC; QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	2	PA; GC
EMEND (FOSAPREPITANT) INTRAVENOUS RECON SOLN 150 MG	4	GC; QL (2 per 28 days)
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; GC; QL (6 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg, 25 mg</i>	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	GC
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD; GC
<i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	GC
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	1	GC
<i>prochlorperazine rectal suppository 25 mg</i>	2	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	2	GC; QL (10 per 30 days)
SYNDROS ORAL SOLUTION 5 MG/ML	4	PA; GC
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	4	GC; QL (10 per 30 days)

### Antiparasite Agents

#### Antiparasite Agents

<i>albendazole oral tablet 200 mg</i>	5	GC; NDS
ALBENZA ORAL TABLET 200 MG	5	GC; NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	5	GC; NDS
ALINIA ORAL TABLET 500 MG	5	GC; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	5	GC; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg, 62.5-25 mg</i>	2	GC
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	2	GC
COARTEM ORAL TABLET 20-120 MG	4	GC
DARAPRIM ORAL TABLET 25 MG	5	PA; GC; NDS
<i>hydroxychloroquine oral tablet 200 mg</i>	2	GC
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; GC; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	2	GC
<i>mefloquine oral tablet 250 mg</i>	2	GC
NEBUPENT INHALATION RECON SOLN 300 MG	4	PA BvD; GC
<i>paromomycin oral capsule 250 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PENTAM INJECTION RECON SOLN 300 MG	4	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
<i>quinine sulfate oral capsule 324 mg</i>	2	PA; GC; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	2	GC
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	GC
<i>amantadine hcl oral tablet 100 mg</i>	2	GC
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	GC; NDS; QL (60 per 30 days)
<i>benztropine injection solution 2 mg/2 ml</i>	5	GC; NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i>	2	GC
<i>bromocriptine oral tablet 2.5 mg</i>	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa oral tablet 25 mg</i>	5	GC; NDS
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	4	GC
<i>entacapone oral tablet 200 mg</i>	2	GC
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 137 MG	5	PA; GC; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	5	PA; GC; NDS; QL (30 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	GC; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; GC; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	2	GC
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	2	GC
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; GC; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	GC; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	GC; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i>	2	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	2	ST; GC; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	GC; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	GC; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	GC; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	GC; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	GC; NDS; QL (3.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>chlorpromazine injection solution 25 mg/ml</i>	2	GC
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>clozapine oral tablet 100 mg</i>	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet 200 mg</i>	2	GC; QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg</i>	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating 150 mg</i>	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating 200 mg</i>	2	ST; GC; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	4	ST; GC; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	5	ST; GC; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST; GC; QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	GC
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	GC
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	GC
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	4	GC; QL (6 per 28 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	GC; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	GC; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	GC; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	GC; QL (0.25 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	GC; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	GC; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	GC; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	GC; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	GC; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG	3	GC; QL (30 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; GC; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 17 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i>	5	GC; NDS; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	5	GC; NDS; QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTEND REL SYR KIT 120 MG, 90 MG	5	GC; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 50 mg</i>	2	GC; QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 300 mg, 400 mg</i>	2	GC; QL (60 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; GC; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; GC; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; GC; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	4	GC; QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	GC; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i>	2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	GC; QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	5	ST; GC; NDS; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; GC; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; GC; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST; GC; QL (14 per 365 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC; QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	GC; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	GC; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	GC; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i>	2	GC
<i>abacavir oral tablet 300 mg</i>	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	2	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	5	GC; NDS
APTIVUS ORAL CAPSULE 250 MG	5	GC; NDS
APTIVUS ORAL SOLUTION 100 MG/ML	5	GC; NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i>	5	GC; NDS
ATRIPLA ORAL TABLET 600-200-300 MG	5	GC; NDS
BIKTARVY ORAL TABLET 50-200-25 MG	5	GC; NDS
CIMDUO ORAL TABLET 300-300 MG	5	GC; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	GC; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	GC
DELSTRIGO ORAL TABLET 100-300-300 MG	5	GC; NDS
DESCOVY ORAL TABLET 200-25 MG	5	GC; NDS
<i>didanosine oral capsule, delayed release (drlec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	GC
EDURANT ORAL TABLET 25 MG	5	GC; NDS
<i>efavirenz oral capsule 200 mg</i>	5	GC; NDS
<i>efavirenz oral capsule 50 mg</i>	2	GC
<i>efavirenz oral tablet 600 mg</i>	5	GC; NDS
EMTRIVA ORAL CAPSULE 200 MG	4	GC
EMTRIVA ORAL SOLUTION 10 MG/ML	4	GC
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	GC
EVOTAZ ORAL TABLET 300-150 MG	5	GC; NDS
<i>fosamprenavir oral tablet 700 mg</i>	5	GC; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	GC; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	GC; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTELENCE ORAL TABLET 25 MG	4	GC
INVIRASE ORAL CAPSULE 200 MG	5	GC; NDS
INVIRASE ORAL TABLET 500 MG	5	GC; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	GC; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	GC
ISENTRESS ORAL TABLET 400 MG	5	GC; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	GC
JULUCA ORAL TABLET 50-25 MG	5	GC; NDS
KALETRA ORAL TABLET 100-25 MG	4	GC
KALETRA ORAL TABLET 200-50 MG	5	GC; NDS
<i>lamivudine oral solution 10 mg/ml</i>	2	GC
<i>lamivudine oral tablet 100 mg, 150 mg, 300 mg</i>	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	GC
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i>	5	GC; NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	3	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	2	GC
NORVIR ORAL CAPSULE 100 MG	4	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	GC
NORVIR ORAL SOLUTION 80 MG/ML	4	GC
ODEFSEY ORAL TABLET 200-25-25 MG	5	GC; NDS
PIFELTRO ORAL TABLET 100 MG	5	GC; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	GC; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	GC; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG	5	GC; NDS
RESCRIPTOR ORAL TABLET 200 MG	4	GC
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	4	GC
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	GC
REYATAZ ORAL POWDER IN PACKET 50 MG	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ritonavir oral tablet 100 mg</i>	2	GC
SELZENTRY ORAL SOLUTION 20 MG/ML	4	GC
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	GC; NDS
SELZENTRY ORAL TABLET 25 MG	4	GC
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
<i>stavudine oral recon soln 1 mg/ml</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	GC; NDS
SYMFI LO ORAL TABLET 400-300-300 MG	5	GC; NDS
SYMFI ORAL TABLET 600-300-300 MG	5	GC; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	GC; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i>	5	GC; NDS
TIVICAY ORAL TABLET 10 MG	4	GC
TIVICAY ORAL TABLET 25 MG, 50 MG	5	GC; NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	GC; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	GC; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	GC; NDS
VEMLIDY ORAL TABLET 25 MG	5	GC; NDS; QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	4	GC
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	GC
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	4	GC
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	GC; NDS
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	4	GC
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	GC; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	GC; NDS
ZERIT ORAL RECON SOLN 1 MG/ML	4	GC
<i>zidovudine oral capsule 100 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zidovudine oral syrup 10 mg/ml</i>	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i>	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i>	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i>	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i>	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	2	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; GC; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; GC; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; GC; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	GC
<i>rimantadine oral tablet 100 mg</i>	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; GC; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	GC; QL (4 per 180 days)
<b>Hcv Antivirals</b>		
DAKLINZA ORAL TABLET 30 MG, 60 MG, 90 MG	5	PA; GC; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 MG	5	PA; GC; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG	5	PA; GC; NDS; QL (30 per 30 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; GC; NDS; QL (84 per 28 days)
SOVALDI ORAL TABLET 400 MG	5	PA; GC; NDS; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	5	PA; GC; NDS; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; GC; NDS; QL (112 per 28 days)
VIEKIRA XR ORAL TABLET, IR - ER, BIPHASIC 24HR 8.33 MG-50 MG- 33.33 MG-200 MG	5	PA; GC; NDS; QL (84 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; GC; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; GC; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; GC; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; GC; NDS
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	5	GC; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	GC; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	GC; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	GC; NDS
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	5	PA NSO; GC; NDS; QL (4 per 28 days)
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i>	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous recon soln 500 mg</i>	5	PA BvD; GC; NDS
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>adefovir oral tablet 10 mg</i>	5	GC; NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	5	GC; NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	5	GC; NDS
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>ribasphere oral capsule 200 mg</i>	2	GC
<i>ribasphere oral tablet 200 mg</i>	2	GC
<i>ribasphere oral tablet 400 mg, 600 mg</i>	5	GC; NDS
<i>ribasphere ribapak 400-400 mg 400 mg (7)- 400 mg (7)</i>	5	GC; NDS
<i>ribasphere ribapak 600-400 mg 600 mg (7)- 400 mg (7)</i>	5	GC; NDS
<i>ribasphere ribapak 600-600 mg 600 mg (7)- 600 mg (7)</i>	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ribasphere ribapak oral tablets,dose pack 200 mg (7)- 400 mg (7), 400-400 mg (28)-mg (28), 600-400 mg (28)-mg (28), 600-600 mg (28)-mg (28)</i>	5	GC; NDS
<i>ribavirin inhalation recon soln 6 gram</i>	5	PA BvD; GC; NDS
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i>	2	GC
<i>valganciclovir oral recon soln 50 mg/ml</i>	2	GC
<i>valganciclovir oral tablet 450 mg</i>	5	GC; NDS
<b>Blood Products/Modifiers/Volume</b>		
<b>Expanders</b>		
<b>Anticoagulants</b>		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	GC; QL (43 per 42 days)
CEPROTIN (BLUE BAR) INTRAVENOUS RECON SOLN 500 UNIT	5	GC; NDS
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	GC
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	GC
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i>	2	GC
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i>	2	GC
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i>	5	GC; NDS
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	2	GC
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	2	GC
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	2	GC
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	2	GC
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	2	GC
IPRIVASK SUBCUTANEOUS RECON SOLN 15 MG	5	PA; GC; NDS; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; GC; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG	3	GC
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	GC
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; GC; NDS
DOPTELET ORAL TABLET 20 MG, 20 MG (15 PACK)	5	PA; GC; NDS
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; GC; QL (12 per 28 days)
EPOGEN INJECTION SOLUTION 20,000 UNIT/ML	5	PA; GC; NDS; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	GC; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; GC; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; GC; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	5	PA; GC; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	5	GC; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	GC; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; GC; NDS
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	5	GC; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; GC; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; GC; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; GC; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 20,000 UNIT/ML	5	PA; GC; NDS; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	5	PA; GC; NDS; QL (6 per 28 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; GC; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; GC; NDS; QL (120 per 30 days)
PROMACTA ORAL TABLET 50 MG	5	PA; GC; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 75 MG	5	PA; GC; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; GC; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	4	PA; GC; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	GC; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	GC; NDS
<b>Hematologic Agents, Miscellaneous</b>		
<i>anagrelide oral capsule 0.5 mg, 1 mg</i>	2	GC
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; GC; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	2	GC
<i>tranexamic acid oral tablet 650 mg</i>	2	GC; QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC
BRILINTA ORAL TABLET 60 MG, 90 MG	3	GC
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 300 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i>	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Caloric Agents</b>		
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD; GC
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD; GC
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD; GC
AMINOSYN 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD; GC
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD; GC
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD; GC
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD; GC
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD; GC
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD; GC
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD; GC
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD; GC
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD; GC
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD; GC
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD; GC
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD; GC
CLINIMIX 5%/D25W SULFITE-FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX 2.75%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD; GC
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD; GC
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD; GC
CLINIMIX 4.25%-D20W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD; GC
CLINIMIX 4.25%-D25W SULF-FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD; GC
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD; GC
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD; GC
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD; GC
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD; GC
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD; GC
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD; GC
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD; GC
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD; GC
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	4	PA BvD; GC
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	4	PA BvD; GC
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	4	PA BvD; GC
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	4	PA BvD; GC
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	4	PA BvD; GC
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	GC
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	4	GC
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	4	PA BvD; GC
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	4	PA BvD; GC
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	4	PA BvD; GC
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD; GC
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD; GC
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD; GC
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD; GC
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD; GC
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD; GC
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD; GC
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD; GC
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD; GC
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD; GC
<i>smoflipid intravenous emulsion 20 %</i>	4	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD; GC
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD; GC
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD; GC
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr, 0.2 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg</i>	2	GC
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; GC; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i>	2	GC
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	2	GC
<b>Angiotensin II Receptor Antagonists</b>		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>	2	GC
EDARBI ORAL TABLET 40 MG, 80 MG	3	GC
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	GC
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	GC; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	2	GC
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	1	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	2	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	1	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>olmesartan-amlodipin-hcthiazyd oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i>	2	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	2	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	2	GC
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	2	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	2	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	2	GC
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>	2	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	2	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>	2	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	2	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i>	1	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	1	GC
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	2	GC
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>	2	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	2	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	2	GC
<b>Antiarrhythmic Agents</b>		
<i>amiodarone intravenous solution 50 mg/ml</i>	2	GC
<i>amiodarone intravenous syringe 150 mg/3 ml</i>	2	GC
<i>amiodarone oral tablet 100 mg, 400 mg</i>	2	GC
<i>amiodarone oral tablet 200 mg</i>	1	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	2	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
<b>MULTAQ ORAL TABLET 400 MG</b>	3	GC
<i>pacerone oral tablet 100 mg, 400 mg</i>	2	GC
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	GC
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	GC
BYVALSON ORAL TABLET 5-80 MG	3	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	GC
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i>	5	PA BvD; GC; NDS
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	2	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>	2	GC
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	GC
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>	4	GC
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	GC
<b>Cardiovascular Agents, Miscellaneous</b>		
<b>CORLANOR ORAL TABLET 5 MG, 7.5 MG</b>	3	PA; GC; QL (60 per 30 days)
<b>DEMSEER ORAL CAPSULE 250 MG</b>	5	GC; NDS
<i>digitek oral tablet 125 mcg, 250 mcg</i>	2	GC
<i>digox oral tablet 125 mcg, 250 mcg</i>	2	GC
<i>digoxin injection syringe 250 mcg/ml</i>	2	GC
<b>DIGOXIN ORAL SOLUTION 50 MCG/ML</b>	4	GC
<i>digoxin oral tablet 125 mcg, 250 mcg</i>	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml, 0.3 mg/0.3 ml</i>	3	GC; Mylan generic preferred; QL (4 per 30 days)
<b>FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML</b>	5	GC; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	2	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	5	PA BvD; GC; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; GC; NDS
<i>norepinephrine bitartrate intravenous solution 1 mg/ml</i>	2	PA BvD; GC
<b>RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG</b>	3	GC
<b>Dihydropyridines</b>		
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	2	GC
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>	2	GC
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>	2	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>	2	GC
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i>	2	GC
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i>	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	2	GC
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>furosemide injection solution 10 mg/ml</i>	2	GC
<i>furosemide injection syringe 10 mg/ml</i>	2	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; GC; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	2	GC
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>	1	GC
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	2	GC
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg, 50-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>	1	GC
<b>Dyslipidemics</b>		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i>	2	GC
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	2	GC
<i>cholestyramine light oral powder 4 gram</i>	2	GC
<i>cholestyramine light packet 4 gram</i>	2	GC
<i>colesevelam oral powder in packet 3.75 gram</i>	2	GC
<i>colesevelam oral tablet 625 mg</i>	2	GC
<i>colestipol oral packet 5 gram</i>	2	GC
<i>colestipol oral tablet 1 gram</i>	2	GC
<i>ezetimibe oral tablet 10 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i>	2	GC
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>fenofibric acid (choline) oral capsule, delayed release(drlec) 135 mg, 45 mg</i>	2	GC
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	2	GC
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	2	GC
<i>gemfibrozil oral tablet 600 mg</i>	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; GC; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; GC; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; GC; NDS; QL (45 per 30 days)
KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; GC; NDS; QL (4 per 28 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	GC; QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	2	GC
<i>niacor oral tablet 500 mg</i>	2	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	2	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	5	PA; GC; NDS; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	1	GC
<i>prevalite oral powder in packet 4 gram</i>	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	5	PA; GC; NDS; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	5	PA; GC; NDS; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	5	PA; GC; NDS; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	1	GC
<i>simvastatin oral tablet 80 mg</i>	1	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	GC; QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	GC
WELCHOL ORAL TABLET 625 MG	3	GC
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>eplerenone oral tablet 25 mg, 50 mg</i>	2	GC
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	ST; GC
TEKTURNA ORAL TABLET 150 MG, 300 MG	3	ST; GC
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	3	GC
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet extended release 40 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 60 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 30 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	2	GC; QL (30 per 30 days)
<i>minitran transdermal patch 24 hour 0.4 mg/hr</i>	2	GC; QL (60 per 30 days)
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
NITRO-BID TRANSDERMAL OINTMENT 2 %	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr</i>	2	GC; QL (30 per 30 days)
<i>nitroglycerin transdermal patch 24 hour 0.4 mg/hr</i>	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	5	PA; GC; NDS; QL (60 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; GC; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; GC; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; GC; NDS; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	PA; GC; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; GC; NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; GC; NDS
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; GC; NDS
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
<i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; GC; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; GC; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	5	PA; GC; NDS; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i>	2	GC; QL (120 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC; QL (60 per 30 days)
<b>EXTAVIA SUBCUTANEOUS KIT 0.3 MG</b>	5	PA; GC; NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	GC
<b>GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG</b>	5	PA; GC; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	5	PA; GC; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	5	PA; GC; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; GC; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; GC; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	2	GC
<b>INGREZZA ORAL CAPSULE 40 MG, 80 MG</b>	5	PA; GC; NDS; QL (30 per 30 days)
<b>LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML</b>	5	PA; GC; NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg, 450 mg</i>	2	GC
<i>lithium citrate oral solution 8 meq/5 ml</i>	4	GC
<i>metadate er oral tablet extended release 20 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate er 18 mg tab 18 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate er 27 mg tab 27 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate er 36 mg tab 36 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate er 54 mg tab 54 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 20 mg, 40 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC; QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>	2	GC; QL (60 per 30 days)
<b>NUEDEXTA ORAL CAPSULE 20-10 MG</b>	3	PA; GC; QL (60 per 30 days)
<b>OCREVUS INTRAVENOUS SOLUTION 30 MG/ML</b>	5	PA; GC; NDS; QL (20 per 180 days)
<b>PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; GC; NDS
<b>PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</b>	5	PA; GC; NDS
<b>RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML</b>	5	PA; GC; NDS; QL (2800 per 28 days)
<b>REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML</b>	5	PA; GC; NDS
<b>REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML, 8.8MCG/0.2ML-22 MCG/0.5ML (6)</b>	5	PA; GC; NDS
<b>REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)</b>	5	PA; GC; NDS
<i>riluzole oral tablet 50 mg</i>	2	GC
<b>SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG</b>	3	GC; QL (60 per 30 days)
<b>SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)</b>	3	GC; QL (60 per 30 days)
<b>TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG</b>	5	PA; GC; NDS; QL (14 per 30 days)
<b>TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46), 240 MG</b>	5	PA; GC; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i>	5	PA; GC; NDS; QL (112 per 28 days)
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>camila oral tablet 0.35 mg</i>	2	GC
<i>caziant (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	GC
<i>cyred 28 day tablet outer 0.15-0.03 mg</i>	2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	2	GC
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg, 3-0.03 mg</i>	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	GC
<b>ELLA ORAL TABLET 30 MG</b>	4	GC; QL (6 per 365 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	GC
<i>errin oral tablet 0.35 mg</i>	2	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>	2	GC
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>gildagia oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>heather oral tablet 0.35 mg</i>	2	GC
<i>incassia oral tablet 0.35 mg</i>	2	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	GC
<i>jencycla oral tablet 0.35 mg</i>	2	GC
<i>jolivette oral tablet 0.35 mg</i>	4	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	GC
<i>kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>kurvelo oral tablet 0.15-0.03 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7), 0.15 mg-20 mcg/ 0.15 mg-25 mcg, 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	4	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	2	GC; QL (91 per 84 days)
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	GC; QL (91 per 84 days)
<i>levonorg-eth estradiol triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	GC
<i>lillow oral tablet 0.15-0.03 mg</i>	2	GC
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	GC
<i>luteria (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>lyza oral tablet 0.35 mg</i>	2	GC
<i>marlissa oral tablet 0.15-0.03 mg</i>	2	GC
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	4	GC
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	GC
<i>nora-be oral tablet 0.35 mg</i>	4	GC
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7), 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg, 0.18/0.215/0.25 mg-35 mcg (28), 0.25-35 mg-mcg</i>	2	GC
<i>norlyda oral tablet 0.35 mg</i>	2	GC
<i>norlyroc oral tablet 0.35 mg</i>	2	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>	2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<b>NUVARING VAGINAL RING 0.12-0.015 MG/24 HR</b>	4	GC; QL (1 per 28 days)
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	GC
<i>portia oral tablet 0.15-0.03 mg</i>	2	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	GC; QL (91 per 84 days)
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	2	GC
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>syeda oral tablet 3-0.03 mg</i>	2	GC
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	4	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tulana oral tablet 0.35 mg</i>	2	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/1.125/1.15-25 mg-mcg</i>	2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	GC
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>zovia 1/50e (28) oral tablet 1-50 mg-mcg</i>	2	GC
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>cevimeline oral capsule 30 mg</i>	2	GC
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	1	GC
<i>oralone dental paste 0.1 %</i>	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	2	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	2	GC
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>	2	GC
<i>acyclovir topical ointment 5 %</i>	2	GC; QL (30 per 30 days)
<b>ALCOHOL PADS TOPICAL PADS, MEDICATED</b>	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i>	2	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	GC
<i>calcipotriene topical cream 0.005 %</i>	2	GC
<i>calcipotriene topical ointment 0.005 %</i>	2	GC
<i>calcitrene topical ointment 0.005 %</i>	2	GC
<i>calcitriol topical ointment 3 mcg/gram</i>	4	GC
<b>COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML</b>	5	PA; GC; NDS
<b>COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML</b>	5	PA; GC; NDS
<b>DENAVIR TOPICAL CREAM 1 %</b>	5	GC; NDS
<b>DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML</b>	5	PA; GC; NDS
<i>fluorouracil topical cream 0.5 %</i>	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluorouracil topical cream 5 %</i>	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
<i>imiquimod topical cream in packet 5 %</i>	2	PA NSO; GC; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	GC; NDS
PANRETIN TOPICAL GEL 0.1 %	5	GC; NDS
PICATO TOPICAL GEL 0.015 %	3	GC; QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	GC; QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
REGRANEX TOPICAL GEL 0.01 %	5	PA; GC; NDS; QL (30 per 30 days)
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	GC
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; GC; NDS
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; GC; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; GC; NDS
TOLAK TOPICAL CREAM 4 %	4	GC
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; GC; NDS
VALCHLOR TOPICAL GEL 0.016 %	5	GC; NDS
VEREGEN TOPICAL OINTMENT 15 %	5	GC; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
ZOVIRAX TOPICAL CREAM 5 %	5	GC; NDS; QL (5 per 4 days)
<b>Dermatological Antibacterials</b>		
<i>clindamycin phosphate topical foam 1 %</i>	2	GC
<i>clindamycin phosphate topical solution 1 %</i>	2	GC
<i>clindamycin phosphate topical swab 1 %</i>	2	GC
<i>clindamycin-benzoyl peroxide topical gel 1-5 %, 1.2 % (1 % base) -5 %</i>	2	GC
<i>ery pads topical swab 2 %</i>	2	GC
<i>erythromycin with ethanol topical gel 2 %</i>	2	GC
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC
<i>erythromycin with ethanol topical swab 2 %</i>	2	GC
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i>	2	GC
<i>gentamicin topical cream 0.1 %</i>	2	GC
<i>gentamicin topical ointment 0.1 %</i>	2	GC
<i>metronidazole topical cream 0.75 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metronidazole topical gel 0.75 %, 1 %</i>	2	GC
<i>metronidazole topical lotion 0.75 %</i>	2	GC
<i>mupirocin topical ointment 2 %</i>	1	GC
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
<i>neuac topical gel 1.2 % (1 % base) -5 %</i>	2	GC
<i>rosadan topical cream 0.75 %</i>	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i>	4	GC
<i>ssd topical cream 1 %</i>	4	GC
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	2	GC
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %, 2.5 %</i>	1	GC
<i>ala-scalp topical lotion 2 %</i>	2	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical foam 0.12 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i>	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i>	2	GC
<i>clobetasol topical foam 0.05 %</i>	2	GC
<i>clobetasol topical gel 0.05 %</i>	2	GC
<i>clobetasol topical lotion 0.05 %</i>	2	GC
<i>clobetasol topical ointment 0.05 %</i>	2	GC
<i>clobetasol topical shampoo 0.05 %</i>	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clobetasol-emollient topical foam 0.05 %</i>	2	GC
<i>clocortolone pivalate topical cream 0.1 %</i>	4	GC
<i>cormax scalp solution 0.05 %</i>	2	GC
<i>desonide topical cream 0.05 %</i>	2	GC
<i>desonide topical lotion 0.05 %</i>	2	GC
<i>desonide topical ointment 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	2	GC
<i>desoximetasone topical gel 0.05 %</i>	2	GC
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	2	GC
<i>diflorasone topical cream 0.05 %</i>	2	GC
<i>diflorasone topical ointment 0.05 %</i>	2	GC
<b>ELIDEL TOPICAL CREAM 1 %</b>	3	GC
<b>EUCRISA TOPICAL OINTMENT 2 %</b>	3	GC
<i>fluocinolone topical cream 0.01 %, 0.025 %</i>	2	GC
<i>fluocinolone topical ointment 0.025 %</i>	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical gel 0.05 %</i>	2	GC
<i>fluocinonide topical ointment 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-e topical cream 0.05 %</i>	2	GC
<i>fluticasone topical cream 0.05 %</i>	2	GC
<i>fluticasone topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocort buty 0.1% lipo cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical cream 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical lotion 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	2	GC
<i>hydrocortisone butyrate topical solution 0.1 %</i>	2	GC
<i>hydrocortisone topical cream 1 %, 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %, 2.5 %</i>	1	GC
<i>hydrocortisone valerate topical cream 0.2 %</i>	2	GC
<i>hydrocortisone valerate topical ointment 0.2 %</i>	2	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>prednicarbate topical cream 0.1 %</i>	4	GC
<i>prednicarbate topical ointment 0.1 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>procto-pak topical cream with perineal applicator 1 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %, 0.5 %</i>	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	GC
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i>	2	GC
<i>adapalene topical gel 0.1 %</i>	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA; GC
<i>tazarotene topical cream 0.1 %</i>	2	GC
TAZORAC TOPICAL CREAM 0.05 %	4	GC
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	2	PA; GC
<i>tretinoin topical gel 0.01 %, 0.025 %, 0.05 %</i>	2	PA; GC
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i>	2	GC
<i>permethrin topical cream 5 %</i>	2	GC
<i>spinosad topical suspension 0.9 %</i>	4	GC
<b>Devices</b>		
<b>Devices</b>		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	2	GC
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 29 GAUGE X 1/2"	2	GC
<b>Enzyme Replacement/Modifiers</b>		
<b>Enzyme Replacement/Modifiers</b>		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	GC; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	GC; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; GC; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	GC; NDS
CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	GC
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	GC; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	GC; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	GC; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; GC; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; GC; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; GC; NDS
KUVAN ORAL TABLET, SOLUBLE 100 MG	5	GC; NDS
<i>miglustat oral capsule 100 mg</i>	5	GC; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	GC; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; GC; NDS
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	5	PA; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; GC; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; GC; NDS
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	GC; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; GC; NDS
REVCIVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; GC; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	5	PA; GC; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; GC; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	GC; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000- 47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000- 79,000- 105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000- 10,000- 16,000 UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000 -27,000 UNIT, 5,000- 17,000- 24,000 UNIT	3	GC
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 %</i>	4	GC
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine nasal spray, non-aerosol 0.15 % (205.5 mcg)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
BEPREVE OPHTHALMIC (EYE) DROPS 1.5 %	4	ST; GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i>	2	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	GC; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>olopatadine nasal spray,non-aerosol 0.6 %</i>	2	GC; QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %, 0.2 %</i>	2	GC
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	2	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	2	GC
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	GC
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	4	GC
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	3	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i>	4	GC
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	2	GC
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	3	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	GC
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	GC
<b>ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %</b>	4	GC
<b>ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %</b>	3	GC
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
<b>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</b>	3	ST; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	GC
<b>BROMSITE OPHTHALMIC (EYE) DROPS</b> 0.075 %	3	GC
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
<b>DUREZOL OPHTHALMIC (EYE) DROPS</b> 0.05 %	3	GC
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i>	2	GC
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	4	GC
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	GC
<i>fluticasone nasal spray,suspension 50 mcglactuation</i>	1	GC
<b>ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %</b>	3	GC
<i>ketorolac ophthalmic (eye) drops 0.4 %, 0.5 %</i>	2	GC
<b>LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %</b>	3	GC
<b>LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %</b>	3	GC
<b>LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %</b>	3	GC
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i>	4	GC
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC
<b>PROLENSA OPHTHALMIC (EYE) DROPS</b> 0.07 %	3	GC
<b>RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %</b>	3	GC; QL (60 per 30 days)
<b>XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %</b>	4	PA; GC; QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CARAFATE ORAL SUSPENSION 100 MG/ML	4	GC
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>cimetidine oral tablet 200 mg, 300 mg, 400 mg, 800 mg</i>	2	GC
DEXILANT ORAL CAPSULE,BIPHASE DELAYED RELEAS 30 MG, 60 MG	3	ST; GC
<i>esomeprazole sodium intravenous recon soln 20 mg, 40 mg</i>	2	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	2	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>famotidine oral tablet 20 mg, 40 mg</i>	1	GC
<i>lansoprazole oral capsule,delayed release(drlec) 15 mg, 30 mg</i>	2	GC
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>nizatidine oral solution 150 mg/10 ml</i>	2	GC
<i>omeprazole oral capsule,delayed release(drlec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>pantoprazole intravenous recon soln 40 mg</i>	2	GC
<i>pantoprazole oral tablet,delayed release (drlec) 20 mg, 40 mg</i>	1	GC
<i>rabeprazole oral tablet,delayed release (drlec) 20 mg</i>	2	ST; GC; QL (30 per 30 days)
<i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml)</i>	2	GC
<i>ranitidine hcl oral syrup 15 mg/ml</i>	2	GC
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	GC
<i>sucralfate oral tablet 1 gram</i>	2	GC
<b>Gastrointestinal Agents, Other</b>		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	GC; QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	GC; NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i>	2	GC
<i>dicyclomine oral capsule 10 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	GC
<i>dicyclomine oral tablet 20 mg</i>	1	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	2	GC
<i>enulose oral solution 10 gram/15 ml</i>	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; GC; NDS
<i>generlac oral solution 10 gram/15 ml</i>	2	GC
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	GC
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	GC
<i>lactulose oral solution 10 gram/15 ml</i>	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	GC; QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	GC; QL (90 per 30 days)
<i>loperamide oral capsule 2 mg</i>	2	GC
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	GC; QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; GC; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; GC; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; GC; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; GC; NDS; QL (28 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML, 8 MG/0.4 ML	5	PA; GC; NDS; QL (28 per 28 days)
<i>sod polystyren sulf 15 g/60 ml sorbitol free 15 gram/60 ml</i>	2	GC
<i>sodium phenylbutyrate oral tablet 500 mg</i>	5	GC; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	GC; QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; GC; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; GC; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	4	GC
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	GC
<i>gavilyte-n oral recon soln 420 gram</i>	2	GC
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	GC
<i>peg 3350-electrolytes oral recon soln 236-22.74- 6.74 -5.86 gram</i>	2	GC
<i>peg 3350-electrolytes oral recon soln 240-22.72- 6.72 -5.84 gram</i>	4	GC
<i>polyethylene glycol 3350 oral powder 17 gram/dose</i>	2	GC
<i>polyethylene glycol 3350 powd 17 gm packets (rx) 17 gram</i>	2	GC
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	4	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	GC
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	GC
<b>Phosphate Binders</b>		
<i>calcium acetate oral capsule 667 mg</i>	2	GC
<i>calcium acetate oral tablet 667 mg</i>	2	GC
<i>eliphos oral tablet 667 mg</i>	2	GC
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i>	5	GC; NDS
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	GC
RENAGEL ORAL TABLET 400 MG, 800 MG	3	GC
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i>	5	GC; NDS
<i>sevelamer carbonate oral tablet 800 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	GC
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>flavoxate oral tablet 100 mg</i>	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	GC
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i>	2	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	GC
<i>trospium oral capsule,extended release 24hr 60 mg</i>	2	GC
<i>trospium oral tablet 20 mg</i>	2	GC
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i>	1	GC
<i>dutasteride oral capsule 0.5 mg</i>	2	GC
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i>	2	GC; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i>	1	GC
<i>tamsulosin oral capsule 0.4 mg</i>	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
CUPRIMINE ORAL CAPSULE 250 MG	5	PA; GC; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i>	2	PA; GC
DEPEN TITRATABS ORAL TABLET 250 MG	5	PA; GC; NDS
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	5	PA; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; GC; NDS
FERRIPROX ORAL TABLET 500 MG	5	PA; GC; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	5	PA; GC; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	5	PA; GC; NDS
<i>trientine oral capsule 250 mg</i>	5	PA; GC; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; GC; NDS
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	PA; GC; QL (150 per 30 days)
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	PA; GC; QL (150 per 30 days)
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>oxandrolone oral tablet 10 mg</i>	5	GC; NDS
<i>oxandrolone oral tablet 2.5 mg</i>	2	GC
<i>testosterone cypionate intramuscular oil 100 mg/ml</i>	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i>	2	PA; GC; QL (150 per 30 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	GC
DUAVEE ORAL TABLET 0.45-20 MG	3	GC
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	2	GC
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	2	GC
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	GC; QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	GC
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	2	GC
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	2	GC
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC
PREMARIN INJECTION RECON SOLN 25 MG	3	GC
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	GC
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	GC
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	GC
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	GC
<i>raloxifene oral tablet 60 mg</i>	2	GC
<i>yuvafem vaginal tablet 10 mcg</i>	2	GC; QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100 mg</i>	2	GC
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	2	GC
<i>cortisone oral tablet 25 mg</i>	2	GC
<i>decadron oral elixir 0.5 mg/5 ml</i>	2	PA BvD; GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	PA BvD; GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml</i>	2	GC
<i>dexamethasone sodium phosphate injection solution 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; GC; NDS; QL (104 per 30 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; GC; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; GC; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	1	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i>	2	GC
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablet 10 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	4	GC
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Pituitary</b>		
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin injection solution 4 mcg/ml</i>	2	GC
<i>desmopressin nasal solution 0.1 mg/ml (refrigerate)</i>	4	GC
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	2	GC
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	4	PA; GC
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; GC; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; GC; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; GC; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; GC; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	GC; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	GC; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	GC; NDS
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	5	PA; GC; NDS
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 5 MG/1.5 ML (3.3 MG/ML)	4	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; GC; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	GC
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; GC; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	5	PA; GC; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; GC; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; GC; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; GC; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; GC; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	GC; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; GC; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	GC; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	GC; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	GC; NDS
STIMATE NASAL SPRAY, NON- AEROSOL 150 MCG/SPRAY (0.1 ML)	5	GC; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	GC; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	GC; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; GC; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA; GC
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; GC; NDS
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	GC; QL (10 per 28 days)
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	5	PA NSO; GC; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	4	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 mg</i>	2	GC
<i>progesterone in oil intramuscular oil 50 mg/ml</i>	2	GC
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	GC
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	5	GC; NDS
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC
<i>liothyronine intravenous solution 10 mcg/ml</i>	2	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; GC; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	GC; NDS
<i>azathioprine oral tablet 50 mg</i>	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	5	PA BvD; GC; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; GC; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; GC; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i>	2	PA BvD; GC
<i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD; GC
<i>cyclosporine modified oral solution 100 mg/ml</i>	2	PA BvD; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i>	2	PA BvD; GC
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	5	PA; GC; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; GC; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51), 50 MG/ML (0.98 ML)	5	PA; GC; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	5	PA; GC; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; GC; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD; GC
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; GC; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; GC; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; GC; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA BvD; GC; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD; GC
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 40 MG/0.8 ML (6 PACK)	5	PA; GC; NDS
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; GC; NDS
HUMIRA PEN PSOR-UEVITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; GC; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; GC; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; GC; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; GC; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; GC; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; GC; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; GC; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; GC; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	GC
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; GC; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; GC; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; GC; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; GC; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	GC
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; GC; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	GC
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; GC; NDS; QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; GC; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; GC; NDS; QL (18.76 per 28 days)
<i>leflunomide oral tablet 10 mg, 20 mg</i>	2	GC
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; GC; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i>	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; GC; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; GC; NDS
OLUMIANT ORAL TABLET 2 MG	5	PA; GC; NDS; QL (30 per 30 days)
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; GC; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; GC; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; GC; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; GC; NDS; QL (60 per 30 days)
OTREXUP (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML	3	GC
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; GC; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD; GC
RAPAMUNE ORAL SOLUTION 1 MG/ML	5	PA BvD; GC; NDS
RASUVO (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	GC
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; GC; NDS
RIDAURA ORAL CAPSULE 3 MG	5	GC; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; GC; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; GC; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; GC; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i>	2	PA BvD; GC
<i>sirolimus oral tablet 2 mg</i>	5	PA BvD; GC; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; GC; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; GC; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; GC; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; GC; LA; NDS; QL (15 per 28 days)
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; GC; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	5	PA; GC; NDS; QL (30 per 30 days)
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA BvD; GC; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	GC
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	GC
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD; GC
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	GC
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	GC
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	GC
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	GC
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; GC
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; GC
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; GC
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	GC; QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	GC; QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	GC
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	GC
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	GC
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	GC
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	GC
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	3	GC
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	GC
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	GC
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	GC
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	GC
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	GC
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	GC
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	GC
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	GC
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	GC
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	GC
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	GC
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; GC
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; GC
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	GC
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	GC
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	GC; QL (2 per 365 days)
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	GC
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	GC
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	GC
TETANUS-DIPHThERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	GC
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	GC
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	GC
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	GC
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	GC
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	GC
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	GC
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	GC; QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	GC
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	GC; QL (1 per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosetron oral tablet 0.5 mg, 1 mg</i>	5	GC; NDS
APRISO ORAL CAPSULE,EXTENDED RELEASE 24HR 0.375 GRAM	3	GC
<i>balsalazide oral capsule 750 mg</i>	2	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	2	GC
CANASA RECTAL SUPPOSITORY 1,000 MG	3	GC
<i>colocort rectal enema 100 mg/60 ml</i>	2	GC
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	3	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; GC; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	2	GC
LIALDA ORAL TABLET, DELAYED RELEASE (DR/EC) 1.2 GRAM	3	GC
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i>	2	GC
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	4	GC
<i>sulfasalazine oral tablet 500 mg</i>	2	GC
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	GC
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		
<i>acetic acid irrigation solution 0.25 %</i>	4	GC
LACTATED RINGERS IRRIGATION SOLUTION	4	GC
<i>sodium chloride irrigation solution 0.9 %</i>	4	GC
<i>water for irrigation, sterile irrigation solution</i>	4	GC
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral solution 70 mg/75 ml</i>	2	GC; QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC
<i>alendronate oral tablet 35 mg, 70 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	2	GC
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	2	GC
<i>calcitriol oral solution 1 mcg/ml</i>	2	GC
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	2	GC
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	2	GC
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	GC
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	3	PA; GC; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	2	GC; QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	4	GC
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; GC; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	GC
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	GC
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	GC; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	GC; QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i>	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet, delayed release (drlec) 35 mg</i>	2	GC; QL (4 per 28 days)
SENSIPAR ORAL TABLET 30 MG, 60 MG	5	GC; NDS; QL (60 per 30 days)
SENSIPAR ORAL TABLET 90 MG	5	GC; NDS; QL (120 per 30 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; GC; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; GC; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i>	2	GC; QL (100 per 300 days)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	2	GC
ZOMETA INTRAVENOUS PIGGYBACK 4 MG/100 ML	5	GC; NDS
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTHAR H.P. INJECTION GEL 80 UNIT/ML	5	PA; GC; NDS; QL (35 per 28 days)
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	GC; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i>	2	GC
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; GC; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; GC; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; GC; NDS; QL (4 per 28 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	4	GC
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	GC; NDS
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	5	GC; NDS
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
ELMIRON ORAL CAPSULE 100 MG	4	GC
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; GC; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; GC; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	GC; NDS
<i>guanidine oral tablet 125 mg</i>	4	GC
<i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>	1	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; GC; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i>	2	GC
<i>levocarnitine oral tablet 330 mg</i>	2	GC
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	4	GC
<i>levoleucovorin calcium intravenous recon soln 50 mg</i>	5	GC; NDS
<i>mesna intravenous solution 100 mg/ml</i>	2	GC
MESNEX ORAL TABLET 400 MG	5	GC; NDS
MESTINON ORAL SYRUP 60 MG/5 ML	5	GC; NDS
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	2	GC
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	5	PA; GC; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROGLYCEM ORAL SUSPENSION 50 MG/ML	5	GC; NDS
<i>pyridostigmine bromide oral tablet 60 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet extended release 180 mg</i>	2	GC
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; GC; NDS
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; GC; NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; GC; NDS; QL (60 per 30 days)
THIOLA ORAL TABLET 100 MG	5	GC; NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	GC; NDS
TYBOST ORAL TABLET 150 MG	4	GC; QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	GC; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; GC; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	GC
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	GC
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>brimonidine ophthalmic (eye) drops 0.15 %</i>	4	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	GC
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	1	GC
<i>latanoprost ophthalmic (eye) drops 0.005 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	GC; QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	GC
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	GC; QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	GC
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>	2	GC
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	3	GC; QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous solution 100 mg/ml (10 %)</i>	2	GC
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	GC
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	GC
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	4	GC
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	4	GC
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	4	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	GC
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	GC
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	GC
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	GC
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	GC
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4%), 40 gram/1,000 ml (4%)</i>	2	PA BvD; GC
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4%), 4 gram/100 ml (4%), 4 gram/50 ml (8%)</i>	2	PA BvD; GC
<i>magnesium sulfate injection solution 4 meq/ml (50%)</i>	2	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD; GC
NORMOSOL-M IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	GC
NORMOSOL-R IV SOLUTION L/F, SINGLE-USE	4	GC
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	GC
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	GC
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	GC
PLASMA-LYTE-56 IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5%	4	GC
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meqll, 30 meqll, 40 meqll</i>	4	PA BvD; GC
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meqll</i>	4	PA BvD; GC
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meqll, 40 meqll</i>	4	PA BvD; GC
<i>potassium chloride in 5% dex intravenous parenteral solution 20 meqll, 30 meqll, 40 meqll</i>	4	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	4	GC
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	4	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	PA BvD; GC
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i>	2	GC
<i>potassium chloride oral tablet, er particles/crystals 10 meq, 20 meq</i>	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	4	GC
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	4	GC
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	4	GC
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg), 15 meq, 5 meq (540 mg)</i>	2	GC
<i>sodium acetate intravenous solution 2 meq/ml</i>	2	GC
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	GC
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	4	GC
<i>sodium lactate intravenous solution 5 meq/ml</i>	4	GC
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Respiratory Tract Agents</b>		
<b>Anti-Inflammatories, Inhaled Corticosteroids</b>		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	3	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	GC; QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	GC; QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	GC; QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	2	PA BvD; GC
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	3	GC; QL (13 per 28 days)
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	GC; QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	GC; QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	GC; QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	GC; QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	GC; QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	GC; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	GC; QL (21.2 per 28 days)
QVAR INHALATION AEROSOL 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	GC; QL (17.4 per 25 days)
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	3	GC; QL (21.2 per 30 days)
SYMBICORT 160-4.5 MCG INHALER 60 INHALATIONS 160-4.5 MCG/ACTUATION	3	GC; QL (12 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION	3	GC; QL (10.2 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 80-4.5 MCG/ACTUATION	3	GC; QL (11 per 25 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i>	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	2	GC
<b>Bronchodilators</b>		
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg/3 ml (0.083 %), 5 mg/ml</i>	2	PA BvD; GC
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	GC; QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	GC; QL (25.8 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	GC; QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	3	GC
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i>	4	GC; QL (30 per 30 days)
LONHALA MAGNAIR STARTER INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	3	GC; QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	2	GC
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	GC
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	GC; QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	GC
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	GC
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	GC
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	GC; QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	GC; QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	GC; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	GC
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document



Drug Name	Drug Tier	Requirements/Limits
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	2	PA BvD; GC
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; GC; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	3	GC; QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	GC; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; GC; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; GC; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; GC; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; GC; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	5	PA; GC; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; GC; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; GC; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; GC; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; GC; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; GC; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; GC; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N)	5	PA; GC; NDS; QL (56 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; GC; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; GC; NDS

### Skeletal Muscle Relaxants

#### Skeletal Muscle Relaxants

<i>baclofen oral tablet 10 mg, 20 mg</i>	2	GC
<i>carisoprodol oral tablet 250 mg, 350 mg</i>	2	GC; QL (120 per 30 days)
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	GC
<i>dantrolene oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>revonto intravenous recon soln 20 mg</i>	2	GC
<i>tizanidine oral tablet 2 mg, 4 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>	2	PA; GC
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	GC; QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>	2	GC; QL (30 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; GC; NDS; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	3	GC; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	GC; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	2	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADCIRCA ORAL TABLET 20 MG	5	PA; GC; NDS; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; GC; NDS; QL (90 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG	3	PA; GC; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i>	2	PA; GC
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i>	5	PA; GC; NDS
LETAIRIS ORAL TABLET 10 MG, 5 MG	5	PA; GC; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	5	PA; GC; NDS; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	3	PA; GC
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	5	PA; GC; NDS
REMODULIN INJECTION SOLUTION 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML	5	PA; GC; NDS
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i>	5	PA; GC; NDS; QL (37.5 per 1 day)
<i>sildenafil (antihypertensive) oral tablet 20 mg</i>	2	PA; GC; QL (90 per 30 days)
<i>tadalafil (antihypertensive) oral tablet 20 mg</i>	5	PA; GC; NDS; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i>	2	PA; GC; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; GC; LA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; GC; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; GC; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; GC; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; GC; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; GC; NDS; QL (400 per 365 days)
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
<i>pnv prenatal plus multivit tab slf, gluten-free 27 mg iron- 1 mg</i>	3	GC; ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	3	GC; ALL RX PRENATAL VITAMINS COVERABLE UNDER PART D

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

<i>abacavir</i> .....	47	AIMOVIG		<i>amifostine crystalline</i> .....	104
<i>abacavir-lamivudine</i> .....	47	AUTOINJECTOR.....	39	<i>amiloride</i> .....	63
<i>abacavir-lamivudine-zidovudine</i>	47	AIMOVIG		<i>amiloride-hydrochlorothiazide</i> ..	63
ABELCET.....	36	AUTOINJECTOR (2 PACK)		AMINOSYN 10 %.....	55
ABILIFY MAINTENA.....	43	.....	38, 39	AMINOSYN 7 % WITH	
<i>abiraterone</i> .....	16	AJOVY.....	39	ELECTROLYTES.....	55
ABRAXANE.....	16	AKYNZEO		AMINOSYN 8.5 %.....	55
<i>acamprostate</i> .....	8	(FOSNETUPITANT).....	40	AMINOSYN 8.5 %-	
<i>acarbose</i> .....	32	AKYNZEO (NETUPITANT)	40	ELECTROLYTES.....	55
<i>acebutolol</i> .....	60	<i>ala-cort</i> .....	77	AMINOSYN II 10 %.....	55
<i>acetaminophen-codeine</i> .....	3	<i>ala-scalp</i> .....	77	AMINOSYN II 15 %.....	55
<i>acetazolamide</i> .....	106	<i>albendazole</i> .....	41	AMINOSYN II 7 %.....	55
<i>acetazolamide sodium</i> .....	106	ALBENZA.....	41	AMINOSYN II 8.5 %.....	55
<i>acetic acid</i> .....	82, 103	<i>albuterol sulfate</i> .....	111	AMINOSYN II 8.5 %-	
<i>acetylcysteine</i> .....	112, 113	<i>alclometasone</i> .....	77	ELECTROLYTES.....	55
<i>acitretin</i> .....	75	ALCOHOL PADS.....	75	AMINOSYN M 3.5 %.....	55
ACTEMRA.....	94, 95	ALDURAZYME.....	80	AMINOSYN-HBC 7%.....	55
ACTHAR H.P.....	104	ALECENSA.....	17	AMINOSYN-PF 10 %.....	55
ACTHIB (PF).....	99	<i>alendronate</i> .....	103	AMINOSYN-PF 7 %	
ACTIMMUNE.....	104	<i>alfuzosin</i> .....	88	(SULFITE-FREE).....	55
<i>acyclovir</i> .....	51, 75	ALIMTA.....	17	AMINOSYN-RF 5.2 %.....	55
<i>acyclovir sodium</i> .....	51	ALINIA.....	41	<i>amiodarone</i> .....	60
ADACEL(TDAP		ALIQOPA.....	17	AMITIZA.....	85
ADOLESN/ADULT)(PF).....	99	<i>allopurinol</i> .....	38	<i>amitriptyline</i> .....	30
ADAGEN.....	80	<i>alosetron</i> .....	102	<i>amitriptyline-chlordiazepoxide</i> ..	30
<i>adapalene</i> .....	79	ALPHAGAN P.....	106	<i>amlodipine</i> .....	63
ADCIRCA.....	114	<i>alprazolam</i> .....	9	<i>amlodipine-atorvastatin</i> .....	64
<i>adefovir</i> .....	51	ALREX.....	83	<i>amlodipine-benazepril</i> .....	63
ADEMPAS.....	114	<i>altavera (28)</i> .....	69	<i>amlodipine-olmesartan</i> .....	63
<i>adriamycin</i> .....	16	ALTRENO.....	79	<i>amlodipine-valsartan</i> .....	63
<i>adrucil</i> .....	16	ALUNBRIG.....	17	<i>amlodipine-valsartan-hcthiamid</i> ..	63
ADVAIR DISKUS.....	110	<i>alyacen 1/35 (28)</i> .....	69	<i>ammonium lactate</i> .....	75
ADVAIR HFA.....	110	<i>alyacen 7/7/7 (28)</i> .....	69	<i>amoxapine</i> .....	30
<i>afeditab cr</i> .....	63	<i>amabelz</i> .....	89	<i>amoxicil-clarithromy-lansopraz</i>	84
AFINITOR.....	16	<i>amantadine hcl</i> .....	42	<i>amoxicillin</i> .....	14
AFINITOR DISPERZ.....	16	AMBISOME.....	36	<i>amoxicillin-pot clavulanate</i> .....	14
<i>a-hydrocort</i> .....	90	<i>amethia</i> .....	70	<i>amphotericin b</i> .....	36
		<i>amethia lo</i> .....	70	<i>ampicillin</i> .....	14

<i>ampicillin sodium</i> .....	14	AUSTEDO.....	67	<i>betamethasone acet,sod phos</i> ....	90
<i>ampicillin-sulbactam</i> .....	14	AVASTIN.....	17	<i>betamethasone dipropionate</i> ....	77
AMPYRA.....	67	<i>aviane</i> .....	70	<i>betamethasone valerate</i> .....	77
ANADROL-50.....	89	AVONEX.....	67	<i>betamethasone, augmented</i> .....	77
<i>anagrelide</i> .....	54	AVONEX (WITH		BETASERON.....	67
<i>anastrozole</i> .....	17	ALBUMIN).....	67	<i>betaxolol</i> .....	60, 106
ANDROGEL.....	89	<i>azacitidine</i> .....	17	<i>bethanechol chloride</i> .....	88
ANORO ELLIPTA.....	111	<i>azathioprine</i> .....	95	BETHKIS.....	10
APOKYN.....	42	<i>azathioprine sodium</i> .....	95	BEVYXXA.....	52
<i>apraclonidine</i> .....	81	<i>azelastine</i> .....	81	<i>bexarotene</i> .....	17
<i>aprepitant</i> .....	40	<i>azithromycin</i> .....	13	BEXSERO.....	99
<i>apri</i> .....	70	AZOPT.....	106	<i>bicalutamide</i> .....	17
APRISO.....	102	<i>aztreonam</i> .....	13	BICILLIN L-A.....	14
APTIOM.....	27	<i>azurette (28)</i> .....	70	BIDIL.....	66
APTIVUS.....	47	<i>baciim</i> .....	11	BIKTARVY.....	47
<i>aranelle (28)</i> .....	70	<i>bacitracin</i> .....	11, 82	<i>bimatoprost</i> .....	106
ARCALYST.....	95	<i>bacitracin-polymyxin b</i> .....	82	<i>bisoprolol fumarate</i> .....	60
<i>aripiprazole</i> .....	43	<i>baclofen</i> .....	113	<i>bisoprolol-hydrochlorothiazide</i> ..	60
ARISTADA.....	43	<i>balsalazide</i> .....	102	<i>bleomycin</i> .....	17
ARISTADA INITIO.....	43	<i>balziva (28)</i> .....	70	<i>bleph-10</i> .....	82
<i>armodafinil</i> .....	114	BANZEL.....	27	BLINCYTO.....	17
ARNUITY ELLIPTA.....	110	BAVENCIO.....	17	<i>blisovi 24 fe</i> .....	70
<i>arsenic trioxide</i> .....	17	BAXDELA.....	15	<i>blisovi fe 1.5/30 (28)</i> .....	70
<i>ascomp with codeine</i> .....	3	BCG VACCINE, LIVE (PF)..	99	<i>blisovi fe 1/20 (28)</i> .....	70
<i>ashlyna</i> .....	70	BD ULTRA-FINE NANO		BOOSTRIX TDAP.....	99
<i>aspirin-dipyridamole</i> .....	54	PEN NEEDLE.....	79	BORTEZOMIB.....	17
ASSURE ID INSULIN		BD VEO INSULIN SYR		BOSULIF.....	17
SAFETY.....	79	HALF UNIT.....	79	BRAFTOVI.....	17
<i>atazanavir</i> .....	47	BD VEO INSULIN		BREO ELLIPTA.....	110
<i>atenolol</i> .....	60	SYRINGE UF.....	79	<i>briellyn</i> .....	70
<i>atenolol-chlorthalidone</i> .....	60	<i>bekyree (28)</i> .....	70	BRILINTA.....	54
<i>atomoxetine</i> .....	67	BELEODAQ.....	17	<i>brimonidine</i> .....	106
<i>atorvastatin</i> .....	64	BELSOMRA.....	114	BRIVIACT.....	27
<i>atovaquone</i> .....	41	<i>benazepril</i> .....	59	<i>bromfenac</i> .....	84
<i>atovaquone-proguanil</i> .....	41	<i>benazepril-hydrochlorothiazide</i> ..	59	<i>bromocriptine</i> .....	42
ATRIPLA.....	47	BENDEKA.....	17	BROMSITE.....	84
<i>atropine</i> .....	27, 81	BENLYSTA.....	104, 105	<i>budesonide</i> .....	102, 110
ATROVENT HFA.....	111	<i>benztropine</i> .....	42	<i>bumetanide</i> .....	63
AUBAGIO.....	67	BEPREVE.....	81	<i>buprenorphine</i> .....	3
<i>aubra</i> .....	70	BESPONSA.....	17	<i>buprenorphine hcl</i> .....	3, 8

<i>buprenorphine-naloxone</i> .....	8	CARIMUNE NF		<i>chlordiazepoxide hcl</i> .....	9
<i>bupropion hcl</i> .....	30	NANOFILTERED.....	95	<i>chlorhexidine gluconate</i> .....	75
<i>bupropion hcl (smoking deter)</i> ...	8	<i>carisoprodol</i> .....	113	<i>chloroquine phosphate</i> .....	41
<i>buspirone</i> .....	9	<i>carteolol</i> .....	106	<i>chlorothiazide</i> .....	63
<i>butalbital compound w/codeine</i> ...3		<i>cartia xt</i> .....	61	<i>chlorothiazide sodium</i> .....	63
<i>butalbital-acetaminop-caf-cod</i> ....3		<i>carvedilol</i> .....	61	<i>chlorpromazine</i> .....	44
<i>butalbital-acetaminophen</i> .....	3	<i>casprofungin</i> .....	36	<i>chlorthalidone</i> .....	63
<i>butalbital-acetaminophen-caff</i> ....3		CAYSTON.....	13	<i>chlorzoxazone</i> .....	113
<i>butalbital-aspirin-caffeine</i> .....	3	<i>caziant (28)</i> .....	70	<i>cholestyramine (with sugar)</i> .....	64
<i>butorphanol tartrate</i> .....	3	<i>cefaclor</i> .....	12	<i>cholestyramine light</i> .....	64
BYSTOLIC.....	61	<i>cefadroxil</i> .....	12	CIALIS.....	114
BYVALSON.....	61	<i>cefazolin</i> .....	12	<i>ciclopirox</i> .....	36
<i>cabergoline</i> .....	42	<i>cefazolin in dextrose (iso-os)</i> ...	12	<i>cidofovir</i> .....	51
CABOMETYX.....	18	<i>cefdinir</i> .....	12	<i>cilostazol</i> .....	54
<i>caffeine citrate</i> .....	67	<i>cefditoren pivoxil</i> .....	12	CILOXAN.....	82
<i>calcipotriene</i> .....	75	<i>cefepime</i> .....	12	CIMDUO.....	47
<i>calcitonin (salmon)</i> .....	103	<i>cefixime</i> .....	12	<i>cimetidine</i> .....	85
<i>calcitrene</i> .....	75	<i>cefotaxime</i> .....	12	<i>cimetidine hcl</i> .....	85
<i>calcitriol</i> .....	75, 103	<i>cefoxitin</i> .....	12	CIMZIA.....	95
<i>calcium acetate</i> .....	87	<i>cefpodoxime</i> .....	12	CIMZIA POWDER FOR	
<i>calcium chloride</i> .....	107	<i>cefprozil</i> .....	12	RECONST.....	95
CALDOLOR.....	6	<i>ceftazidime</i> .....	12	CINQAIR.....	113
CALQUENCE.....	18	<i>ceftibuten</i> .....	12, 13	CINRYZE.....	53
<i>camila</i> .....	70	<i>ceftriaxone</i> .....	13	CINVANTI.....	40
CANASA.....	102	<i>cefuroxime axetil</i> .....	13	CIPRODEX.....	82
<i>candesartan</i> .....	58	<i>cefuroxime sodium</i> .....	13	<i>ciprofloxacin</i> .....	15
<i>candesartan-hydrochlorothiazid</i> 58		<i>celecoxib</i> .....	6	<i>ciprofloxacin (mixture)</i> .....	15
<i>capacet</i> .....	3	CELONTIN.....	27	<i>ciprofloxacin hcl</i> .....	15, 82
CAPASTAT.....	39	<i>cephalexin</i> .....	13	<i>ciprofloxacin in 5 % dextrose</i> ... 15	
CAPRELSA.....	18	CEPROTIN (BLUE BAR).....	52	<i>ciprofloxacin lactate</i> .....	15
<i>captopril</i> .....	59	CERDELGA.....	80	<i>cialopram</i> .....	30, 31
<i>captopril-hydrochlorothiazide</i> ...59		CEREZYME.....	80	<i>cladribine</i> .....	18
CARAFATE.....	85	CETYLEV.....	105	<i>clarithromycin</i> .....	13
CARBAGLU.....	85	<i>cevimeline</i> .....	75	<i>clemastine</i> .....	38
<i>carbamazepine</i> .....	27	CHANTIX.....	8	CLENPIQ.....	87
<i>carbidopa</i> .....	42	CHANTIX CONTINUING		<i>clindamycin hcl</i> .....	11
<i>carbidopa-levodopa</i> .....	42	MONTH BOX.....	8	<i>clindamycin in 5 % dextrose</i> .... 11	
<i>carbidopa-levodopa-entacapone</i> 42		CHANTIX STARTING		<i>clindamycin palmitate hcl</i> .....	11
<i>carbinoxamine maleate</i> .....	38	MONTH BOX.....	8	<i>clindamycin phosphate</i> .. 11, 38, 76	
<i>carboplatin</i> .....	18	<i>chloramphenicol sod succinate</i> .. 11		<i>clindamycin-benzoyl peroxide</i> ...76	

CLINIMIX 5%/D15W	<i>clonidine hcl</i> .....	58, 67	<i>cyclosporine modified</i> .....	95
SULFITE FREE.....	<i>clopidogrel</i> .....	54	<i>cyproheptadine</i> .....	38
CLINIMIX 5%/D25W	<i>clorazepate dipotassium</i> .....	9	CYRAMZA.....	18
SULFITE-FREE.....	<i>clorpres</i> .....	58	<i>cyred</i> .....	70
CLINIMIX 2.75%/D5W	<i>clotrimazole</i> .....	36	<i>cyred eq</i> .....	70
SULFIT FREE.....	<i>clotrimazole-betamethasone</i> .....	36	CYSTADANE.....	105
CLINIMIX 4.25%/D10W	<i>clozapine</i> .....	44	CYSTARAN.....	81
SULF FREE.....	COARTEM.....	41	<i>d10 %-0.45 % sodium chloride</i>	107
CLINIMIX 4.25%/D5W	<i>codeine sulfate</i> .....	3	<i>d5 % and 0.9 % sodium chloride</i>	107
SULFIT FREE.....	<i>colchicine</i> .....	38	.....	107
CLINIMIX 4.25%-D20W	<i>colesevelam</i> .....	64	<i>d5 %-0.45 % sodium chloride</i> ..	107
SULF-FREE.....	<i>colestipol</i> .....	64	DAKLINZA.....	50
CLINIMIX 4.25%-D25W	<i>colistin (colistimethate na)</i> .....	11	<i>dalfampridine</i> .....	67
SULF-FREE.....	<i>colocort</i> .....	102	DALIRESP.....	113
CLINIMIX 5%-	COMBIGAN.....	106	<i>danazol</i> .....	89
D20W(SULFITE-FREE).....	COMBIVENT RESPIMAT..	111	<i>dantrolene</i> .....	113
CLINIMIX E 2.75%/D10W	COMETRIQ.....	18	<i>dapsone</i> .....	39
SUL FREE.....	COMPLERA.....	47	DAPTACEL (DTAP	
CLINIMIX E 2.75%/D5W	<i>compro</i> .....	40	PEDIATRIC) (PF).....	99
SULF FREE.....	<i>constulose</i> .....	85	<i>daptomycin</i> .....	11
CLINIMIX E 4.25%/D10W	COPAXONE.....	67	DARAPRIM.....	41
SUL FREE.....	COPIKTRA.....	18	DARZALEX.....	18
CLINIMIX E 4.25%/D25W	CORLANOR.....	62	<i>dasetta 1/35 (28)</i> .....	70
SUL FREE.....	<i>cormax</i> .....	78	<i>dasetta 7/7/7 (28)</i> .....	70
CLINIMIX E 4.25%/D5W	<i>cortisone</i> .....	90	DAURISMO.....	18
SULF FREE.....	COSENTYX (2 SYRINGES)..	75	<i>daysee</i> .....	70
CLINIMIX E 5%/D15W	COSENTYX PEN (2 PENS)..	75	<i>deblitane</i> .....	70
SULFIT FREE.....	COTELLIC.....	18	<i>decadron</i> .....	90
CLINIMIX E 5%/D20W	CREON.....	80	<i>decitabine</i> .....	18
SULFIT FREE.....	CRIXIVAN.....	47	<i>deferoxamine</i> .....	88
CLINIMIX E 5%/D25W	<i>cromolyn</i> .....	81, 85, 113	DELSTRIGO.....	47
SULFIT FREE.....	<i>cryselle (28)</i> .....	70	<i>delyla (28)</i> .....	70
<i>clobazam</i> .....	CUPRIMINE.....	88	DELZICOL.....	102
<i>clobetasol</i> .....	<i>cyclafem 1/35 (28)</i> .....	70	<i>demeclocycline</i> .....	16
<i>clobetasol-emollient</i> .....	<i>cyclafem 7/7/7 (28)</i> .....	70	DEMSEER.....	62
<i>clocortolone pivalate</i> .....	<i>cyclobenzaprine</i> .....	113	DENAVIR.....	75
<i>clofarabine</i> .....	<i>cyclopentolate</i> .....	81	DEPEN TITRATABS.....	88
<i>clomipramine</i> .....	<i>cyclophosphamide</i> .....	18	DEPO-PROVERA.....	94
<i>clonazepam</i> .....	CYCLOPHOSPHAMIDE.....	18	DESCOVY.....	47
<i>clonidine</i> .....	<i>cyclosporine</i> .....	95	<i>desipramine</i> .....	31



<i>desmopressin</i> .....	92	<i>digoxin</i> .....	62	<i>econazole</i> .....	36
<i>desog-e.estradiolle.estradiol</i> .....	70	<b>DIGOXIN</b> .....	62	<b>EDARBI</b> .....	58
<i>desogestrel-ethinyl estradiol</i> .....	70	<i>dihydroergotamine</i> .....	39	<b>EDARBYCLOR</b> .....	58
<i>desonide</i> .....	78	<b>DILANTIN</b> .....	27	<b>EDURANT</b> .....	47
<i>desoximetasone</i> .....	78	<i>diltiazem hcl</i> .....	62	<i>efavirenz</i> .....	47
<i>desvenlafaxine succinate</i> .....	31	<i>dilt-xr</i> .....	62	<b>ELAPRASE</b> .....	80
<i>dexamethasone</i> .....	90	<i>dimenhydrinate</i> .....	40	<i>electrolyte-48 in d5w</i> .....	107
<i>dexamethasone sodium phos</i> <i>(pf)</i> .....	91	<b>DIPENTUM</b> .....	102	<b>ELIDEL</b> .....	78
<i>dexamethasone sodium</i> <i>phosphate</i> .....	84, 91	<i>diphenhydramine hcl</i> .....	38	<b>ELIGARD</b> .....	19
<b>DEXILANT</b> .....	85	<i>diphenoxylate-atropine</i> .....	86	<b>ELIGARD (3 MONTH)</b> .....	19
<i>dexmethylphenidate</i> .....	67	<i>dipyridamole</i> .....	54	<b>ELIGARD (4 MONTH)</b> .....	19
<i>dexrazoxane hcl</i> .....	105	<i>disopyramide phosphate</i> .....	60	<b>ELIGARD (6 MONTH)</b> .....	19
<i>dextroamphetamine</i> .....	67	<i>disulfiram</i> .....	8	<i>elinest</i> .....	71
<i>dextroamphetamine-</i> <i>amphetamine</i> .....	67, 68	<i>divalproex</i> .....	27	<i>eliphos</i> .....	87
<i>dextrose 10 % in water (d10w)</i> .....	57	<i>docetaxel</i> .....	18	<b>ELIQUIS</b> .....	52
<i>dextrose 20 % in water (d20w)</i> .....	57	<i>dofetilide</i> .....	60	<b>ELITEK</b> .....	80
<i>dextrose 25 % in water (d25w)</i> .....	57	<i>donepezil</i> .....	30	<i>elixophyllin</i> .....	111
<i>dextrose 30 % in water (d30w)</i> .....	57	<b>DOPTELET</b> .....	53	<b>ELLA</b> .....	71
<i>dextrose 40 % in water (d40w)</i> .....	57	<i>dorzolamide</i> .....	106	<b>ELMIRON</b> .....	105
<i>dextrose 5 % in water (d5w)</i> .....	57	<i>dorzolamide-timolol</i> .....	106	<b>EMBEDA</b> .....	3
<i>dextrose 50 % in water (d50w)</i> .....	57	<i>doxazosin</i> .....	58	<b>EMCYT</b> .....	19
<i>dextrose 70 % in water (d70w)</i> .....	57	<i>doxepin</i> .....	31	<b>EMEND</b> .....	40
<b>DIASTAT</b> .....	9	<i>doxercalciferol</i> .....	103	<b>EMEND</b> <b>(FOSAPREPITANT)</b> .....	40
<b>DIASTAT ACUDIAL</b> .....	9	<i>doxorubicin</i> .....	18	<b>EMFLAZA</b> .....	91
<i>diazepam</i> .....	9	<i>doxy-100</i> .....	16	<i>emoquette</i> .....	71
<i>diazepam intensol</i> .....	9	<i>doxycycline hyclate</i> .....	16	<b>EMPLICITI</b> .....	19
<i>diclofenac potassium</i> .....	6	<i>doxycycline monohydrate</i> .....	16	<b>EMSAM</b> .....	31
<i>diclofenac sodium</i> .....	6, 84	<i>dronabinol</i> .....	40	<b>EMTRIVA</b> .....	47
<i>diclofenac-misoprostol</i> .....	6	<i>droperidol</i> .....	105	<i>enalapril maleate</i> .....	59
<i>dicloxacillin</i> .....	14	<i>drospirenone-ethinyl estradiol</i> .....	71	<i>enalaprilat</i> .....	59
<i>dicyclomine</i> .....	85, 86	<b>DROXIA</b> .....	19	<i>enalapril-hydrochlorothiazide</i> .....	59
<i>didanosine</i> .....	47	<b>DUAVEE</b> .....	89	<b>ENBREL</b> .....	95
<b>DIFICID</b> .....	13	<b>DUEXIS</b> .....	6	<b>ENBREL SURECLICK</b> .....	95
<i>diflorasone</i> .....	78	<b>DULERA</b> .....	110	<b>ENDARI</b> .....	105
<i>diflunisal</i> .....	6	<i>duloxetine</i> .....	31	<i>endocet</i> .....	3
<i>digitek</i> .....	62	<b>DUPIXENT</b> .....	75, 95	<b>ENGERIX-B (PF)</b> .....	99
<i>digox</i> .....	62	<b>DUREZOL</b> .....	84	<b>ENGERIX-B PEDIATRIC</b> <b>(PF)</b> .....	99
		<i>dutasteride</i> .....	88	<i>enoxaparin</i> .....	52
		<i>dutasteride-tamsulosin</i> .....	88		

<i>enpresse</i> .....	71	<i>ethynodiol diac-eth estradiol</i> .....	71	FIASP U-100 INSULIN.....	34
<i>enskyce</i> .....	71	<i>etidronate disodium</i> .....	103	<i>finasteride</i> .....	88
<i>entacapone</i> .....	42	<i>etodolac</i> .....	6	FIRAZYR.....	62
<i>entecavir</i> .....	51	ETOPOPHOS.....	19	FIRVANQ.....	11
ENTRESTO.....	58	<i>etoposide</i> .....	19	<i>flavoxate</i> .....	88
<i>enulose</i> .....	86	EUCRISA.....	78	FLEBOGAMMA DIF.....	95
EPCLUSA.....	50	EVOTAZ.....	47	<i>flecainide</i> .....	60
EPIDIOLEX.....	27	<i>exemestane</i> .....	19	FLECTOR.....	6
<i>epinastine</i> .....	81	EXJADE.....	88	FLOVENT DISKUS.....	110
<i>epinephrine</i> .....	62	EXONDYS 51.....	105	FLOVENT HFA.....	110, 111
<i>epitol</i> .....	27	EXTAVIA.....	68	<i>floxuridine</i> .....	19
EPIVIR HBV.....	47	<i>ezetimibe</i> .....	64	<i>fluconazole</i> .....	37
<i>eplerenone</i> .....	66	<i>ezetimibe-simvastatin</i> .....	65	<i>fluconazole in nacl (iso-osm)</i> ...	36
EPOGEN.....	53	FABRAZYME.....	80	<i>flucytosine</i> .....	37
<i>epoprostenol (glycine)</i> .....	114	<i>falmina (28)</i> .....	71	<i>fludrocortisone</i> .....	91
<i>eprosartan</i> .....	58	<i>famciclovir</i> .....	51	<i>flumazenil</i> .....	68
<i>ergoloid</i> .....	105	<i>famotidine</i> .....	85	<i>flunisolide</i> .....	84
ERGOMAR.....	39	<i>famotidine (pf)</i> .....	85	<i>fluocinolone</i> .....	78
ERIVEDGE.....	19	<i>famotidine (pf)-nacl (iso-os)</i> ..	85	<i>fluocinolone acetamide oil</i> .....	84
ERLEADA.....	19	FANAPT.....	44	<i>fluocinonide</i> .....	78
<i>errin</i> .....	71	FARESTON.....	19	<i>fluocinonide-e</i> .....	78
<i>ertapenem</i> .....	14	FARYDAK.....	19	<i>fluorometholone</i> .....	84
<i>ery pads</i> .....	76	FASENRA.....	113	<i>fluorouracil</i> .....	19, 75, 76
<i>erythromycin</i> .....	13, 82	FASLODEX.....	19	<i>fluoxetine</i> .....	31
<i>erythromycin ethylsuccinate</i> .....	13	<i>felbamate</i> .....	27	<i>fluphenazine decanoate</i> .....	44
<i>erythromycin with ethanol</i> .....	76	<i>felodipine</i> .....	63	<i>fluphenazine hcl</i> .....	44
<i>erythromycin-benzoyl peroxide</i> ..	76	FEMRING.....	90	<i>flurazepam</i> .....	9, 10
ESBRIET.....	113	<i>femynor</i> .....	71	<i>flurbiprofen</i> .....	6
<i>escitalopram oxalate</i> .....	31	<i>fenofibrate</i> .....	65	<i>flurbiprofen sodium</i> .....	84
<i>esmolol</i> .....	61	<i>fenofibrate micronized</i> .....	65	<i>flutamide</i> .....	19
<i>esomeprazole sodium</i> .....	85	<i>fenofibrate nanocrystallized</i> .....	65	<i>fluticasone</i> .....	78, 84
<i>estarylla</i> .....	71	<i>fenofibric acid</i> .....	65	<i>fluvastatin</i> .....	65
<i>estazolam</i> .....	9	<i>fenofibric acid (choline)</i> .....	65	<i>fluvoxamine</i> .....	31
<i>estradiol</i> .....	89, 90	<i>fenopropfen</i> .....	6	<i>fomepizole</i> .....	105
<i>estradiol valerate</i> .....	90	<i>fentanyl</i> .....	4	<i>fondaparinux</i> .....	52
<i>estradiol-norethindrone acet</i> ....	90	<i>fentanyl citrate</i> .....	3	FORTEO.....	103
<i>estropipate</i> .....	90	FERRIPROX.....	89	<i>fosamprenavir</i> .....	47
<i>eszopiclone</i> .....	114	FETZIMA.....	31	<i>foscarnet</i> .....	50
<i>ethambutol</i> .....	39	FIASP FLEXTOUCH U-100		<i>fosinopril</i> .....	59
<i>ethosuximide</i> .....	27	INSULIN.....	34	<i>fosinopril-hydrochlorothiazide</i> ..	59

<i>fosphenytoin</i> .....	27	GENVOYA.....	47	HEPATAMINE 8%.....	57
FREAMINE HBC 6.9 %.....	57	GEODON.....	44	HERCEPTIN.....	20
FREAMINE III 10 %.....	57	<i>gildagia</i> .....	71	HETLIOZ.....	114
FULPHILA.....	53	GILENYA.....	68	HEXALEN.....	20
<i>furosemide</i> .....	64	GILOTRIF.....	19	HIBERIX (PF).....	100
FUZEON.....	47	<i>glatiramer</i> .....	68	HUMATROPE.....	92
<i>fyavolv</i> .....	90	<i>glatopa</i> .....	68	HUMIRA.....	96
FYCOMPA.....	28	GLEOSTINE.....	19, 20	HUMIRA PEDIATRIC	
<i>gabapentin</i> .....	28	<i>glimepiride</i> .....	35	CROHNS START.....	96
GALAFOLD.....	80	<i>glipizide</i> .....	35, 36	HUMIRA PEN.....	96
<i>galantamine</i> .....	30	<i>glipizide-metformin</i> .....	36	HUMIRA PEN CROHNS-	
GAMASTAN S/D.....	95	GLUCAGEN HYPOKIT.....	32	UC-HS START.....	96
GAMMAGARD LIQUID.....	95	<i>glyburide</i> .....	36	HUMIRA PEN PSOR-	
GAMMAGARD S-D (IGA <		<i>glyburide micronized</i> .....	36	UVEITS-ADOL HS.....	96
1 MCG/ML).....	95	<i>glyburide-metformin</i> .....	36	HUMIRA(CF).....	96
GAMMAPLEX.....	95	<i>glycopyrrolate</i> .....	86	HUMIRA(CF) PEDI	
GAMMAPLEX (WITH		<i>glydo</i> .....	7	CROHNS STARTER.....	96
SORBITOL).....	95	GLYXAMBI.....	32	HUMIRA(CF) PEN.....	96
GAMUNEX-C.....	96	GOCOVRI.....	42	HUMIRA(CF) PEN	
<i>ganciclovir sodium</i> .....	51	GRALISE.....	28	CROHNS-UC-HS.....	96
GARDASIL 9 (PF).....	99	GRALISE 30-DAY		HUMIRA(CF) PEN PSOR-	
<i>gatifloxacin</i> .....	82	STARTER PACK.....	28	UV-ADOL HS.....	96
GATTEX 30-VIAL.....	86	<i>granisetron (pf)</i> .....	40	HUMULIN R U-500 (CONC)	
GAUZE PAD.....	79	<i>granisetron hcl</i> .....	40	INSULIN.....	34
<i>gavilyte-c</i> .....	87	GRANIX.....	53	HUMULIN R U-500 (CONC)	
<i>gavilyte-g</i> .....	87	<i>griseofulvin microsize</i> .....	37	KWIKPEN.....	34
<i>gavilyte-n</i> .....	87	<i>griseofulvin ultramicrosize</i> .....	37	<i>hydralazine</i> .....	62
GAZYVA.....	19	<i>guanfacine</i> .....	58, 68	<i>hydrochlorothiazide</i> .....	64
<i>gemcitabine</i> .....	19	<i>guanidine</i> .....	105	<i>hydrocodone-acetaminophen</i> .....	4
<i>gemfibrozil</i> .....	65	HAEGARDA.....	53	<i>hydrocodone-ibuprofen</i> .....	4
<i>generlac</i> .....	86	<i>hailey 24 fe</i> .....	71	<i>hydrocortisone</i> .....	78, 91, 102
<i>gengraf</i> .....	96	<i>halobetasol propionate</i> .....	78	<i>hydrocortisone butyrate</i> .....	78
GENOTROPIN.....	92	<i>haloperidol</i> .....	44	<i>hydrocortisone butyr-emollient</i> .....	78
GENOTROPIN		<i>haloperidol decanoate</i> .....	44	<i>hydrocortisone valerate</i> .....	78
MINIQUICK.....	92	<i>haloperidol lactate</i> .....	44	<i>hydrocortisone-acetic acid</i> .....	82
<i>gentak</i> .....	82	HARVONI.....	50	<i>hydromorphone</i> .....	4
<i>gentamicin</i> .....	10, 76, 82	HAVRIX (PF).....	99, 100	<i>hydromorphone (pf)</i> .....	4
<i>gentamicin in nacl (iso-osm)</i> .....	10	<i>heather</i> .....	71	<i>hydroxychloroquine</i> .....	41
<i>gentamicin sulfate (ped) (pf)</i> .....	10	<i>heparin (porcine)</i> .....	52	<i>hydroxyprogesterone caproate</i> .....	94
<i>gentamicin sulfate (pf)</i> .....	10	<i>heparin, porcine (pf)</i> .....	52	<i>hydroxyurea</i> .....	20

<i>hydroxyzine hcl</i> .....	38	INSULIN SYRINGE-NEEDLE U-100.....	80	JANUMET.....	33
<i>hydroxyzine pamoate</i> .....	105	INTELENCE.....	47, 48	JANUMET XR.....	33
HYPERRAB (PF).....	96	INTRALIPID.....	57	JANUVIA.....	33
HYPERRAB S/D (PF).....	96	INTRON A.....	51	JARDIANCE.....	33
HYQVIA.....	97	<i>introvale</i> .....	71	<i>jencycla</i> .....	71
HYSINGLA ER.....	4	INVANZ.....	14	JENTADUETO.....	33
<i>ibandronate</i> .....	103	INVEGA SUSTENNA.....	44, 45	JENTADUETO XR.....	33
IBRANCE.....	20	INVEGA TRINZA.....	45	<i>jinteli</i> .....	90
<i>ibu</i> .....	6	INVIRASE.....	48	<i>jolivette</i> .....	71
<i>ibuprofen</i> .....	6	INVOKAMET.....	32	<i>juleber</i> .....	71
ICLUSIG.....	20	INVOKAMET XR.....	33	JULUCA.....	48
IDHIFA.....	20	INVOKANA.....	33	<i>junel 1.5/30 (21)</i> .....	71
<i>ifosfamide</i> .....	20	IONOSOL-B IN D5W.....	107	<i>junel 1/20 (21)</i> .....	71
<i>ifosfamide-mesna</i> .....	20	IONOSOL-MB IN D5W.....	107	<i>junel fe 1.5/30 (28)</i> .....	71
ILARIS (PF).....	97	IPOL.....	100	<i>junel fe 1/20 (28)</i> .....	71
ILEVRO.....	84	<i>ipratropium bromide</i> .....	82, 112	<i>junel fe 24</i> .....	71
ILUMYA.....	97	IPRIVASK.....	52	JUXTAPID.....	65
<i>imatinib</i> .....	20	<i>irbesartan</i> .....	58	JYNARQUE.....	64
IMBRUVICA.....	20	<i>irbesartan-hydrochlorothiazide</i> .....	58	KABIVEN.....	57
IMFINZI.....	20	IRESSA.....	20	KALETRA.....	48
<i>imipenem-cilastatin</i> .....	14	<i>irinotecan</i> .....	20	KALYDECO.....	113
<i>imipramine hcl</i> .....	31	ISENTRESS.....	48	KANUMA.....	80
<i>imipramine pamoate</i> .....	31	ISENTRESS HD.....	48	<i>kariva (28)</i> .....	71
<i>imiquimod</i> .....	76	<i>isibloom</i> .....	71	KAZANO.....	33
IMLYGIC.....	20	ISOLYTE-P IN 5 % DEXTROSE.....	107	KEDRAB (PF).....	97
IMOGAM RABIES-HT (PF).....	97	ISOLYTE-S.....	107	<i>kelnor 1/35 (28)</i> .....	71
IMOVAX RABIES VACCINE (PF).....	100	<i>isoniazid</i> .....	39	<i>kelnor 1-50</i> .....	71
IMPAVIDO.....	41	<i>isosorbide dinitrate</i> .....	66	<i>ketoconazole</i> .....	37
<i>incassia</i> .....	71	<i>isosorbide mononitrate</i> .....	66	<i>ketoprofen</i> .....	7
INCRELEX.....	92	<i>isradipine</i> .....	63	<i>ketorolac</i> .....	7, 84
INCRUSE ELLIPTA.....	112	<i>itraconazole</i> .....	37	KEVEYIS.....	105
<i>indapamide</i> .....	64	<i>ivermectin</i> .....	41	KEVZARA.....	97
<i>indomethacin</i> .....	6, 7	IXEMPRA.....	21	KEYTRUDA.....	21
<i>indomethacin sodium</i> .....	7	IXIARO (PF).....	100	<i>kimidess (28)</i> .....	71
INFANRIX (DTAP) (PF).....	100	JADENU.....	89	KINERET.....	97
INFLECTRA.....	97	JADENU SPRINKLE.....	89	KINRIX (PF).....	100
INGREZZA.....	68	JAKAFI.....	21	<i>kionex (with sorbitol)</i> .....	86
INLYTA.....	20	<i>jantoven</i> .....	53	KISQALI.....	21
				KISQALI FEMARA CO-PACK.....	21

<i>klor-con m10</i> .....	108	LEUKERAN.....	21	LONHALA MAGNAIR	
<i>klor-con m15</i> .....	108	LEUKINE.....	53	STARTER.....	112
<i>klor-con m20</i> .....	108	<i>leuprolide</i> .....	21	LONSURF.....	21
<i>klor-con sprinkle</i> .....	108	<i>levabuterol tartrate</i> .....	112	<i>loperamide</i> .....	86
KORLYM.....	33	<i>levetiracetam</i> .....	28	<i>lopinavir-ritonavir</i> .....	48
KRYSTEXXA.....	80	<i>levetiracetam in nacl (iso-os)</i> ...	28	<i>lorazepam</i> .....	10
<i>kurvelo</i> .....	71	<i>levobunolol</i> .....	107	LORBRENA.....	22
KUVAN.....	80	<i>levocarnitine</i> .....	105	<i>lorcet (hydrocodone)</i> .....	4
KYNAMRO.....	65	<i>levocarnitine (with sugar)</i> .....	105	<i>lorcet hd</i> .....	4
KYPROLIS.....	21	<i>levocetirizine</i> .....	38	<i>lorcet plus</i> .....	4
<i>l norgestle.estradiol-e.estrad</i> .....	72	<i>levofloxacin</i> .....	15, 82	<i>loryna (28)</i> .....	72
<i>labetalol</i> .....	61	<i>levofloxacin in d5w</i> .....	15	<i>losartan</i> .....	58
LACTATED RINGERS.....	103	LEVOLEUCOVORIN		<i>losartan-hydrochlorothiazide</i> ....	58
<i>lactulose</i> .....	86	CALCIUM.....	105	LOTEMAX.....	84
<i>lamivudine</i> .....	48	<i>levoleucovorin calcium</i> .....	105	<i>lovastatin</i> .....	65
<i>lamivudine-zidovudine</i> .....	48	<i>levonest (28)</i> .....	72	<i>low-ogestrel (28)</i> .....	72
<i>lamotrigine</i> .....	28	<i>levonorgestrel-ethinyl estrad</i> ....	72	<i>loxapine succinate</i> .....	45
<i>lansoprazole</i> .....	85	<i>levonorg-eth estrad triphasic</i> ....	72	LUCEMYRA.....	8
<i>lanthanum</i> .....	87	<i>levora-28</i> .....	72	LUMIGAN.....	107
LANTUS SOLOSTAR U-100		<i>levothyroxine</i> .....	94	LUMOXITI.....	22
INSULIN.....	34	LEXIVA.....	48	LUPRON DEPOT.....	22
LANTUS U-100 INSULIN... 34		LIALDA.....	102	LUPRON DEPOT (3	
<i>larin 1.5/30 (21)</i> .....	72	LIBTAYO.....	21	MONTH).....	22
<i>larin 1/20 (21)</i> .....	72	<i>lidocaine</i> .....	8	LUPRON DEPOT (4	
<i>larin 24 fe</i> .....	72	<i>lidocaine (pf)</i> .....	8, 60	MONTH).....	22
<i>larin fe 1.5/30 (28)</i> .....	72	<i>lidocaine hcl</i> .....	8	LUPRON DEPOT (6	
<i>larin fe 1/20 (28)</i> .....	72	<i>lidocaine viscous</i> .....	8	MONTH).....	22
<i>larissia</i> .....	72	<i>lidocaine-prilocaine</i> .....	8	LUPRON DEPOT-PED.....	92
LARTRUVO.....	21	<i>lillow</i> .....	72	LUPRON DEPOT-PED (3	
<i>latanoprost</i> .....	106	<i>linezolid</i> .....	11	MONTH).....	92
LATUDA.....	45	<i>linezolid in dextrose 5%</i> .....	11	<i>lutura (28)</i> .....	72
LAZANDA.....	4	<i>linezolid-0.9% sodium chloride</i> . 11		LYNPARZA.....	22
<i>leena 28</i> .....	72	LINZESS.....	86	LYRICA.....	28
<i>leflunomide</i> .....	97	<i>liothyronine</i> .....	94	LYSODREN.....	22
LEMTRADA.....	68	<i>lisinopril</i> .....	59	<i>lyza</i> .....	72
LENVIMA.....	21	<i>lisinopril-hydrochlorothiazide</i> ... 59		<i>magnesium sulfate</i> .....	108
<i>lessina</i> .....	72	<i>lithium carbonate</i> .....	68	<i>magnesium sulfate in d5w</i> .....	108
LETAIRIS.....	114	<i>lithium citrate</i> .....	68	<i>magnesium sulfate in water</i> ....	108
<i>letrozole</i> .....	21	LIVALO.....	65	<i>malathion</i> .....	79
<i>leucovorin calcium</i> .....	105	LOKELMA.....	86	<i>maprotiline</i> .....	31

<i>marlissa</i> .....	72	<i>methylergonovine</i> .....	105	<i>mondoxyne nl</i> .....	16
MARPLAN.....	31	<i>methylphenidate hcl</i> .....	68, 69	<i>mono-lynyah</i> .....	72
MARQIBO.....	22	<i>methylprednisolone</i> .....	91	<i>mononessa (28)</i> .....	73
MATULANE.....	22	<i>methylprednisolone acetate</i> .....	91	<i>montelukast</i> .....	111
<i>matzim la</i> .....	62	<i>methylprednisolone sodium succ</i>	91	<i>morphine</i> .....	4, 5
MAVYRET.....	50	<i>metipranolol</i> .....	107	MORPHINE.....	4
<i>meclizine</i> .....	40	<i>metoclopramide hcl</i> .....	86	<i>morphine concentrate</i> .....	4
<i>medroxyprogesterone</i> .....	94	<i>metolazone</i> .....	64	MOVANTIK.....	86
<i>mefenamic acid</i> .....	7	<i>metoprolol succinate</i> .....	61	MOVIPREP.....	87
<i>mefloquine</i> .....	41	<i>metoprolol ta-hydrochlorothiaz</i>	61	MOXEZA.....	82
<i>megestrol</i> .....	22, 94	<i>metoprolol tartrate</i> .....	61	<i>moxifloxacin</i> .....	15, 82
MEKINIST.....	22	<i>metronidazole</i> .....	11, 38, 76, 77	MOZOBIL.....	53
MEKTOVI.....	22	<i>metronidazole in nacl (iso-os)</i> ..	11	MULPLETA.....	53
<i>meloxicam</i> .....	7	<i>mexiletine</i> .....	60	MULTAQ.....	60
<i>melphalan hcl</i> .....	22	MIACALCIN.....	103	<i>mupirocin</i> .....	77
<i>memantine</i> .....	30	<i>miconazole-3</i> .....	37	<i>mycophenolate mofetil</i> .....	97
MENACTRA (PF).....	100	<i>microgestin 1.5/30 (21)</i> .....	72	<i>mycophenolate mofetil hcl</i> .....	97
MENEST.....	90	<i>microgestin 1/20 (21)</i> .....	72	MYLOTARG.....	22
MENVEO A-C-Y-W-135-DIP		<i>microgestin fe 1.5/30 (28)</i> .....	72	MYRBETRIQ.....	88
(PF).....	100	<i>microgestin fe 1/20 (28)</i> .....	72	<i>myzilra</i> .....	73
<i>mercaptapurine</i> .....	22	<i>midazolam</i> .....	10	<i>nabumetone</i> .....	7
<i>meropenem</i> .....	14	<i>midodrine</i> .....	58	<i>nadolol</i> .....	61
<i>mesalamine</i> .....	102	<i>miglitol</i> .....	33	<i>nafcillin</i> .....	14
<i>mesna</i> .....	105	<i>miglustat</i> .....	80	<i>nafcillin in dextrose iso-osm</i> .....	14
MESNEX.....	105	<i>mili</i> .....	72	NAGLAZYME.....	80
MESTINON.....	105	<i>milrinone</i> .....	63	<i>naloxone</i> .....	8
<i>metadate er</i> .....	68	<i>milrinone in 5 % dextrose</i> .....	63	<i>naltrexone</i> .....	8
<i>metaproterenol</i> .....	112	<i>mimvey lo</i> .....	90	NAMZARIC.....	30
<i>metformin</i> .....	33	<i>minitran</i> .....	66	<i>naproxen</i> .....	7
<i>methadone</i> .....	4	MINOCIN.....	16	<i>naratriptan</i> .....	39
<i>methadose</i> .....	4	<i>minocycline</i> .....	16	NARCAN.....	8
<i>methazolamide</i> .....	107	<i>minoxidil</i> .....	66	NATACYN.....	82
<i>methenamine hippurate</i> .....	11	<i>mirtazapine</i> .....	31	<i>nateglinide</i> .....	33
<i>methimazole</i> .....	94	<i>misoprostol</i> .....	85	NATPARA.....	103
<i>methocarbamol</i> .....	113	<i>mitoxantrone</i> .....	22	NEBUPENT.....	41
<i>methotrexate sodium</i> .....	22	M-M-R II (PF).....	100	<i>necon 0.5/35 (28)</i> .....	73
<i>methotrexate sodium (pf)</i> .....	22	<i>moexipril</i> .....	59	<i>nefazodone</i> .....	31
<i>methoxsalen</i> .....	76	<i>moexipril-hydrochlorothiazide</i> ..	59	<i>neomycin</i> .....	10
<i>methscopolamine</i> .....	86	<i>molindone</i> .....	45	<i>neomycin-bacitracin-poly-hc</i> .....	82
<i>methyclothiazide</i> .....	64	<i>mometasone</i> .....	78	<i>neomycin-bacitracin-polymyxin</i>	82

<i>neomycin-polymyxin b gu</i> .....	77	<i>norethindrone-e.estradiol-iron</i> ..	73	NUPLAZID.....	45
<i>neomycin-polymyxin b-dexameth</i> .....	83	<i>norgestimate-ethinyl estradiol</i> ..	73	NUTRILIPID.....	57
<i>neomycin-polymyxin-gramicidin</i> .....	83	<i>norlyda</i> .....	73	NUTROPIN AQ NUSPIN.....	93
<i>neomycin-polymyxin-hc</i> .....	83	<i>norlyroc</i> .....	73	NUVARING.....	73
<i>neo-polycin</i> .....	83	NORMOSOL-M IN 5 %		<i>nyamyc</i> .....	37
<i>neo-polycin hc</i> .....	83	DEXTROSE.....	108	<i>nystatin</i> .....	37
NEPHRAMINE 5.4 %.....	57	NORMOSOL-R.....	108	<i>nystatin-triamcinolone</i> .....	37
NERLYNX.....	23	NORMOSOL-R PH 7.4.....	108	<i>nystop</i> .....	37
NESINA.....	33	NORTHERA.....	58	OICALIVA.....	86
<i>neuac</i> .....	77	<i>nortrel 0.5/35 (28)</i> .....	73	OCREVUS.....	69
NEULASTA.....	53	<i>nortrel 1/35 (21)</i> .....	73	OCTAGAM.....	97
NEUPOGEN.....	53	<i>nortrel 1/35 (28)</i> .....	73	<i>octreotide acetate</i> .....	93
NEUPRO.....	42	<i>nortrel 7/7/7 (28)</i> .....	73	ODEFSEY.....	48
<i>nevirapine</i> .....	48	<i>nortriptyline</i> .....	31	ODOMZO.....	23
NEXAVAR.....	23	NORVIR.....	48	OFEV.....	113
<i>niacin</i> .....	65	NOVOLIN 70/30 U-100		<i>ofloxacin</i> .....	15, 83
<i>niacor</i> .....	65	INSULIN.....	35	<i>ogestrel (28)</i> .....	73
<i>nicardipine</i> .....	63	NOVOLIN 70-30 FLEXPEN		<i>okebo</i> .....	16
NICOTROL.....	8	U-100.....	35	<i>olanzapine</i> .....	45
<i>nifedipine</i> .....	63	NOVOLIN N NPH U-100		<i>olmesartan</i> .....	58
<i>nikki (28)</i> .....	73	INSULIN.....	35	<i>olmesartan-amlodipin-hcthiiazid</i>	59
<i>nilutamide</i> .....	23	NOVOLIN R REGULAR U-		<i>olmesartan-hydrochlorothiazide</i>	59
NINLARO.....	23	100 INSULN.....	35	<i>olopatadine</i> .....	82
NITRO-BID.....	66	NOVOLOG FLEXPEN U-		OLUMIANT.....	97
<i>nitrofurantoin macrocrystal</i> .....	11	100 INSULIN.....	35	<i>omega-3 acid ethyl esters</i> .....	65
<i>nitrofurantoin monohydlm-cryst</i> .....	11	NOVOLOG MIX 70-30 U-		<i>omeprazole</i> .....	85
<i>nitroglycerin</i> .....	66	100 INSULN.....	35	OMNITROPE.....	93
NITYR.....	80	NOVOLOG MIX 70-		ONCASPAS.....	23
NIVESTYM.....	53	30FLEXPEN U-100.....	35	<i>ondansetron</i> .....	41
<i>nizatidine</i> .....	85	NOVOLOG PENFILL U-100		<i>ondansetron hcl</i> .....	40
<i>nora-be</i> .....	73	INSULIN.....	35	<i>ondansetron hcl (pf)</i> .....	40
NORDITROPIN FLEXPRO.....	92	NOVOLOG U-100 INSULIN		ONFI.....	10
<i>norepinephrine bitartrate</i> .....	63	ASPART.....	35	ONIVYDE.....	23
<i>norethindrone (contraceptive)</i> ..	73	NOXAFIL.....	37	OPDIVO.....	23
<i>norethindrone acetate</i> .....	94	NPLATE.....	105	OPSUMIT.....	114
<i>norethindrone ac-eth estradiol</i>		NUCALA.....	113	<i>oralone</i> .....	75
.....	73, 90	NUCYNTA.....	5	ORENCIA.....	98
		NUCYNTA ER.....	5	ORENCIA (WITH	
		NUEDEXTA.....	69	MALTOSE).....	97
		NULOJIX.....	97	ORENCIA CLICKJECT.....	97

ORENITRAM.....	114	<i>peg 3350-electrolytes</i> .....	87	<i>piperacillin-tazobactam</i> .....	15
ORFADIN.....	80, 81	PEGANONE.....	29	<i>pirmella</i> .....	73
ORLISSA.....	93	PEGASYS.....	51	<i>piroxicam</i> .....	7
ORKAMBI.....	113	PEGASYS PROCLICK.....	51	PLASMA-LYTE 148.....	108
<i>orsythia</i> .....	73	PEGINTRON.....	51	PLASMA-LYTE A.....	108
<i>oseltamivir</i> .....	50	PEN NEEDLE, DIABETIC...80		PLASMA-LYTE-56 IN 5 %	
OSENI.....	33	<i>penicillin g potassium</i> .....	15	DEXTROSE.....	108
OSMOLEX ER.....	42	<i>penicillin g procaine</i> .....	15	PLEGRIDY.....	69
OTEZLA.....	98	<i>penicillin v potassium</i> .....	15	<i>podofilox</i> .....	76
OTEZLA STARTER.....	98	PENNSAID.....	7	<i>polycin</i> .....	83
OTREXUP (PF).....	98	PENTACEL (PF).....	100	<i>polyethylene glycol 3350</i> .....	87
<i>oxacillin</i> .....	14	PENTACEL DTAP-IPV		<i>polymyxin b sulfate</i> .....	11
<i>oxaliplatin</i> .....	23	COMPNT (PF).....	100	<i>polymyxin b sulf-trimethoprim</i> ..	83
<i>oxandrolone</i> .....	89	PENTAM.....	42	POMALYST.....	23
<i>oxazepam</i> .....	10	<i>pentoxifylline</i> .....	54	<i>portia</i> .....	73
<i>oxcarbazepine</i> .....	28	PERIKABIVEN.....	57	PORTRAZZA.....	23
OXTELLAR XR.....	29	<i>perindopril erbumine</i> .....	59	<i>potassium chlorid-d5-</i>	
<i>oxybutynin chloride</i> .....	88	<i>periogard</i> .....	75	<i>0.45%nacl</i> .....	108
<i>oxycodone</i> .....	5	PERJETA.....	23	<i>potassium chloride</i> .....	109
<i>oxycodone-acetaminophen</i> .....	5	<i>permethrin</i> .....	79	<i>potassium chloride in 0.9%nacl</i>	
<i>oxycodone-aspirin</i> .....	5	<i>perphenazine</i> .....	45	.....	108
OXYCONTIN.....	5	<i>perphenazine-amitriptyline</i> .....	32	<i>potassium chloride in 5 % dex</i> ..	108
<i>oxymorphone</i> .....	5	PERSERIS.....	45	<i>potassium chloride in lr-d5</i> .....	109
OZEMPIC.....	34	<i>pfizerpen-g</i> .....	15	<i>potassium chloride in water</i> ....	109
<i>pacerone</i> .....	60	<i>phenadoz</i> .....	41	<i>potassium chloride-0.45 % nacl</i>	
<i>paclitaxel</i> .....	23	<i>phenelzine</i> .....	32	.....	109
<i>paliperidone</i> .....	45	<i>phenobarbital</i> .....	29	<i>potassium chloride-d5-0.2%nacl</i>	
PALYNZIQ.....	81	<i>phenylephrine hcl</i> .....	58, 82	.....	109
<i>pamidronate</i> .....	103	<i>phenytoin</i> .....	29	<i>potassium chloride-d5-0.3%nacl</i>	
PANRETIN.....	76	<i>phenytoin sodium</i> .....	29	.....	109
<i>pantoprazole</i> .....	85	<i>phenytoin sodium extended</i> .....	29	<i>potassium chloride-d5-0.9%nacl</i>	
<i>paricalcitol</i> .....	104	<i>philith</i> .....	73	.....	109
PARICALCITOL.....	104	PHOSLYRA.....	87	<i>potassium citrate</i> .....	109
<i>paroex oral rinse</i> .....	75	PICATO.....	76	POTELIGEO.....	23
<i>paromomycin</i> .....	41	PIFELTRO.....	48	PRADAXA.....	53
<i>paroxetine hcl</i> .....	32	<i>pilocarpine hcl</i> .....	75, 107	PRALUENT PEN.....	65
PASER.....	39	<i>pimozide</i> .....	45	<i>pramipexole</i> .....	42
PAXIL.....	32	<i>pimtree (28)</i> .....	73	<i>prasugrel</i> .....	54
PEDIARIX (PF).....	100	<i>pindolol</i> .....	61	<i>pravastatin</i> .....	65
PEDVAX HIB (PF).....	100	<i>pioglitazone</i> .....	34	<i>prazosin</i> .....	58



<i>prednicarbate</i> .....	78	PROLASTIN-C.....	113	<i>rasagiline</i> .....	43
<i>prednisolone</i> .....	91	PROLENSA.....	84	RASUVO (PF).....	98
<i>prednisolone acetate</i> .....	84	PROLEUKIN.....	23	RAVICTI.....	86
<i>prednisolone sodium phosphate</i> .....	84, 91	PROLIA.....	104	RAYALDEE.....	104
<i>prednisone</i> .....	91	PROMACTA.....	54	REBIF (WITH ALBUMIN)...	69
PREMARIN.....	90	<i>promethazine</i> .....	38, 41	REBIF REBIDOSE.....	69
PREMPHASE.....	90	<i>promethazine-phenylephrine</i> .....	38	REBIF TITRATION PACK..	69
PREMPRO.....	90	<i>promethegan</i> .....	41	<i>reclipsen (28)</i> .....	73
<i>prenatal plus (calcium carb)</i> ..	115	<i>propafenone</i> .....	60	RECOMBIVAX HB (PF)....	101
<i>prenatal vitamin plus low iron</i> ..	115	<i>propranolol</i> .....	27	REGRANEX.....	76
PREPOPIK.....	87	<i>proparacaine</i> .....	82	RELENZA DISKHALER.....	50
<i>prevalite</i> .....	65	<i>propranolol</i> .....	61	RELISTOR.....	86
<i>previfem</i> .....	73	<i>propranolol-hydrochlorothiazid</i>	61	REMICADE.....	98
PREVYMIS.....	50	<i>propylthiouracil</i> .....	94	REMODULIN.....	114
PREZCOBIX.....	48	PROQUAD (PF).....	101	RENAGEL.....	87
PREZISTA.....	48	PROSOL 20 %.....	57	RENFLEXIS.....	106
PRIFTIN.....	39	<i>protamine</i> .....	54	<i>repaglinide</i> .....	34
PRIMAQUINE.....	42	<i>protriptyline</i> .....	32	<i>repaglinide-metformin</i> .....	34
<i>primidone</i> .....	29	PULMOZYME.....	81	REPATHA PUSHTRONEX..	65
PRIVIGEN.....	98	PURIXAN.....	23	REPATHA SURECLICK.....	65
PROAIR HFA.....	112	<i>pyrazinamide</i> .....	40	REPATHA SYRINGE.....	65
PROAIR RESPICLICK.....	112	<i>pyridostigmine bromide</i> .....	106	RESCRIPTOR.....	48
<i>probenecid</i> .....	38	QUADRACEL (PF).....	101	RESTASIS.....	84
<i>probenecid-colchicine</i> .....	38	<i>quasense</i> .....	73	RETACRIT.....	54
<i>procainamide</i> .....	60	<i>quetiapine</i> .....	45, 46	RETROVIR.....	48
PROCALAMINE 3%.....	57	<i>quinapril</i> .....	60	REVCovi.....	81
<i>prochlorperazine</i> .....	41	<i>quinapril-hydrochlorothiazide</i> ...	60	REVLIMID.....	23
<i>prochlorperazine edisylate</i> .....	41	<i>quinidine gluconate</i> .....	60	<i>revonto</i> .....	113
<i>prochlorperazine maleate</i> .....	41	<i>quinidine sulfate</i> .....	60	REXULTI.....	46
PROCRIIT.....	54	<i>quinine sulfate</i> .....	42	REYATAZ.....	48
<i>procto-med hc</i> .....	79	QVAR.....	111	RHOPRESSA.....	107
<i>procto-pak</i> .....	79	QVAR REDIHALER.....	111	<i>ribasphere</i> .....	51
<i>proctosol hc</i> .....	79	RABAVERT (PF).....	101	<i>ribasphere ribapak</i> .....	51, 52
<i>proctozone-hc</i> .....	79	<i>rabeprazole</i> .....	85	<i>ribavirin</i> .....	52
PROCYSBI.....	81	RADICAVA.....	69	RIDAURA.....	98
<i>progesterone in oil</i> .....	94	<i>raloxifene</i> .....	90	<i>rifabutin</i> .....	40
<i>progesterone micronized</i> .....	94	<i>ramipril</i> .....	60	<i>rifampin</i> .....	40
PROGLYCEM.....	106	RANEXA.....	63	<i>riluzole</i> .....	69
PROGRAF.....	98	<i>ranitidine hcl</i> .....	85	<i>rimantadine</i> .....	50
		RAPAMUNE.....	98	<i>risedronate</i> .....	104

RISPERDAL CONSTA.....	46	<i>silver sulfadiazine</i> .....	77	STELARA.....	98
<i>risperidone</i> .....	46	SIMBRINZA.....	107	STIMATE.....	93
<i>ritonavir</i> .....	49	SIMPONI.....	98	STIOLTO RESPIMAT.....	112
RITUXAN.....	23	SIMPONI ARIA.....	98	STIVARGA.....	24
RITUXAN HYCELA.....	23	<i>simvastatin</i> .....	66	STRENSIQ.....	81
<i>rivastigmine</i> .....	30	<i>sirolimus</i> .....	98	<i>streptomycin</i> .....	10
<i>rivastigmine tartrate</i> .....	30	SIRTURO.....	40	STRIBILD.....	49
<i>rizatriptan</i> .....	39	<i>smoflipid</i> .....	57	STRIVERDI RESPIMAT ...	112
<i>ropinirole</i> .....	43	<i>sodium acetate</i> .....	109	SUBLOCADE.....	5
<i>rosadan</i> .....	77	<i>sodium chloride</i> .....	103, 109	SUBOXONE.....	8, 9
<i>rosuvastatin</i> .....	65	<i>sodium chloride 0.45 %</i> .....	109	<i>subvenite</i> .....	29
ROTARIX.....	101	<i>sodium chloride 0.9 %</i> .....	109	<i>sucralfate</i> .....	85
ROTATEQ VACCINE.....	101	<i>sodium lactate</i> .....	109	<i>sulfacetamide sodium</i> .....	83
ROWEEPRA.....	29	<i>sodium phenylbutyrate</i> .....	86	<i>sulfacetamide sodium (acne)</i> ...	77
RUBRACA.....	23	<i>sodium phosphate</i> .....	109	<i>sulfacetamide-prednisolone</i> .....	83
RYDAPT.....	23	<i>sodium polystyrene (sorb free)</i> .....	86	<i>sulfadiazine</i> .....	15
SABRIL.....	29	<i>sodium polystyrene sulfonate</i> ...	86	<i>sulfamethoxazole-trimethoprim</i> .....	15
SAIZEN.....	93	SOLQUA 100/33.....	35	<i>sulfasalazine</i> .....	102
SAIZEN SAIZENPREP.....	93	SOLTAMOX.....	24	<i>sulfatrim</i> .....	15
SANDOSTATIN LAR		SOLU-CORTEF (PF).....	91	<i>sulindac</i> .....	7
DEPOT.....	93	SOMATULINE DEPOT.....	93	<i>sumatriptan</i> .....	39
SANTYL.....	76	SOMAVERT.....	93	<i>sumatriptan succinate</i> .....	39
SAPHRIS.....	46	<i>sorine</i> .....	61	SUPPRELIN LA.....	93
SAVELLA.....	69	<i>sotalol</i> .....	61	SUPRAX.....	13
<i>scopolamine base</i> .....	41	<i>sotalol af</i> .....	61	SUPREP BOWEL PREP KIT.....	87
<i>selegiline hcl</i> .....	43	SOVALDI.....	50	SURE COMFORT INS.	
<i>selenium sulfide</i> .....	77	<i>spinosad</i> .....	79	SYR. U-100.....	80
SELZENTRY.....	49	SPIRIVA RESPIMAT.....	112	SUTENT.....	24
SENSIPAR.....	104	SPIRIVA WITH		<i>syeda</i> .....	74
SEREVENT DISKUS.....	112	HANDIHALER.....	112	SYLATRON.....	51
SEROSTIM.....	93	<i>spironolactone</i> .....	64	SYLVANT.....	24
<i>sertraline</i> .....	32	<i>spironolacton-hydrochlorothiaz</i> .....	64	SYMBICORT.....	111
<i>setlakin</i> .....	73	SPORANOX.....	37	SYMDEKO.....	113
<i>sevelamer carbonate</i> .....	87	<i>sprintec (28)</i> .....	73	SYMFI.....	49
<i>sharobel</i> .....	73	SPRITAM.....	29	SYMFI LO.....	49
SHINGRIX (PF).....	101	SPRYCEL.....	24	SYMLINPEN 120.....	34
SIGNIFOR.....	93	<i>sps (with sorbitol)</i> .....	86	SYMLINPEN 60.....	34
<i>sildenafil (antihypertensive)</i> ...	114	<i>sronyx</i> .....	74	SYMTUZA.....	49
SILENOR.....	114	<i>ssd</i> .....	77	SYNAGIS.....	50
SILIQ.....	76	<i>stavudine</i> .....	49	SYNAREL.....	93

SYNDROS.....	41	<i>tenofovir disoproxil fumarate</i> ...	49	<i>topiramate</i> .....	29
SYNERCID.....	11	<i>terazosin</i> .....	88	<i>toposar</i> .....	25
SYNJARDY.....	34	<i>terbinafine hcl</i> .....	37	<i>topotecan</i> .....	25
SYNJARDY XR.....	34	<i>terbutaline</i> .....	112	TORISEL.....	25
SYNRIBO.....	24	<i>terconazole</i> .....	38	<i>torse mide</i> .....	64
TABLOID.....	24	<i>testosterone</i> .....	89	TOTECT.....	106
<i>tacrolimus</i> .....	98	<i>testosterone cypionate</i> .....	89	TOUJEO MAX U-300	
<i>tadalafil</i> .....	114	<i>testosterone enanthate</i> .....	89	SOLOSTAR.....	35
<i>tadalafil (antihypertensive)</i> ....	114	TETANUS,DIPHThERIA		TOUJEO SOLOSTAR U-300	
TAFINLAR.....	24	TOX PED(PF).....	101	INSULIN.....	35
TAGRISSO.....	24	TETANUS-DIPHThERIA		TOVIAZ.....	88
TAKHZYRO.....	106	TOXOIDS-TD.....	101	TRACLEER.....	114, 115
TALTZ AUTOINJECTOR....	76	<i>tetrabenazine</i> .....	69	TRADJENTA.....	34
TALTZ SYRINGE.....	76	<i>tetracycline</i> .....	16	<i>tramadol</i> .....	5
TALZENNA.....	24	THALOMID.....	106	<i>tramadol-acetaminophen</i> .....	5
<i>tamoxifen</i> .....	24	<i>theophylline</i> .....	112	<i>trandolapril</i> .....	60
<i>tamsulosin</i> .....	88	THIOLA.....	106	<i>tranexamic acid</i> .....	54
TARCEVA.....	24	<i>thioridazine</i> .....	46	TRANSDERM-SCOP.....	41
TARGRETIN.....	24	<i>thiotepa</i> .....	24	<i>tranylcypro mine</i> .....	32
<i>tarina fe 1/20 (28)</i> .....	74	<i>thiothixene</i> .....	46	TRAVASOL 10 %.....	58
TASIGNA.....	24	<i>tiagabine</i> .....	29	TRAVATAN Z.....	107
TAVALISSE.....	54	TIBSOVO.....	25	<i>trazodone</i> .....	32
<i>tazarotene</i> .....	79	TICE BCG.....	101	TREANDA.....	25
<i>tazicef</i> .....	13	<i>tigecycline</i> .....	16	TRECTOR.....	40
TAZORAC.....	79	<i>tilia fe</i> .....	74	TRELEGY ELLIPTA.....	112
<i>taztia xt</i> .....	62	<i>timolol maleate</i> .....	61, 107	TRELSTAR.....	25
TECENTRIQ.....	24	<i>tinidazole</i> .....	42	TREMFYA.....	76
TECFIDERA.....	69	TIVICAY.....	49	<i>tretinoin</i> .....	79
TECHNIVIE.....	50	<i>tizanidine</i> .....	113	<i>tretinoin (chemotherapy)</i> .....	25
TEFLARO.....	13	TOBI PODHALER.....	10	<i>tri femynor</i> .....	74
TEKTURNA.....	66	<i>tobramycin</i> .....	83	<i>triamcinolone acetonide</i> 75, 79, 91	
TEKTURNA HCT.....	66	<i>tobramycin in 0.225 % nacl</i> .....	10	<i>triamterene-hydrochlorothiazid</i>	64
<i>telmisartan</i> .....	59	<i>tobramycin in 0.9 % nacl</i> .....	10	<i>triazolam</i> .....	10
<i>telmisartan-amlodipine</i> .....	59	<i>tobramycin sulfate</i> .....	10	<i>trientine</i> .....	89
<i>telmisartan-hydrochlorothiazid</i>	59	<i>tobramycin-dexamethasone</i> .....	83	<i>tri-estarylla</i> .....	74
<i>temazepam</i> .....	10	TOLAK.....	76	<i>trifluoperazine</i> .....	46
TEMODAR.....	24	<i>tolazamide</i> .....	36	<i>trifluridine</i> .....	83
<i>temsirolimus</i> .....	24	<i>tolbutamide</i> .....	36	<i>trihexyphenidyl</i> .....	43
<i>tencon</i> .....	5	<i>tolmetin</i> .....	7	<i>tri-legest fe</i> .....	74
TENIVAC (PF).....	101	<i>tolterodine</i> .....	88	<i>tri-linyah</i> .....	74

<i>tri-lo-estarylla</i> .....	74	<i>valproate sodium</i> .....	29	VIIBRYD.....	32
<i>tri-lo-marzia</i> .....	74	<i>valproic acid</i> .....	29	VIMIZIM.....	81
<i>tri-lo-sprintec</i> .....	74	<i>valproic acid (as sodium salt)</i> ..	29	VIMOVO.....	7
<i>trilyte with flavor packets</i> .....	87	<i>valsartan</i> .....	59	VIMPAT.....	29, 30
<i>trimethoprim</i> .....	12	<i>valsartan-hydrochlorothiazide</i> ..	59	<i>vinblastine</i> .....	25
<i>tri-mili</i> .....	74	VALSTAR.....	25	<i>vincasar pfs</i> .....	25
<i>trimipramine</i> .....	32	<i>vancomycin</i> .....	12	<i>vincristine</i> .....	26
<i>trinessa (28)</i> .....	74	VAQTA (PF).....	102	<i>vinorelbine</i> .....	26
TRINTELLIX.....	32	VARIVAX (PF).....	102	<i>viorele (28)</i> .....	74
<i>tri-previfem (28)</i> .....	74	VASCEPA.....	66	VIRACEPT.....	49
TRIPTODUR.....	94	VECTIBIX.....	25	VIRAMUNE.....	49
<i>tri-sprintec (28)</i> .....	74	VELCADE.....	25	VIREAD.....	49
TRIUMEQ.....	49	<i>velivet triphasic regimen (28)</i> ..	74	VISTOGARD.....	106
<i>trivora (28)</i> .....	74	VELPHORO.....	88	VIZIMPRO.....	26
<i>tri-vylibra</i> .....	74	VELTASSA.....	87	VOLTAREN.....	7
TROGARZO.....	49	VEMLIDY.....	49	<i>voriconazole</i> .....	37
TROKENDI XR.....	29	VENCLEXTA.....	25	VOSEVI.....	50
TROPHAMINE 10 %.....	58	VENCLEXTA STARTING		VOTRIENT.....	26
TROPHAMINE 6%.....	58	PACK.....	25	VPRIV.....	81
<i>trospium</i> .....	88	<i>venlafaxine</i> .....	32	VRAYLAR.....	46
TRULICITY.....	34	<i>verapamil</i> .....	62	<i>vyfemla (28)</i> .....	74
TRUMENBA.....	101	VEREGEN.....	76	<i>vylibra</i> .....	74
TRUVADA.....	49	VERSACLOZ.....	46	VYXEOS.....	26
<i>tulana</i> .....	74	VERZENIO.....	25	<i>warfarin</i> .....	53
TWINRIX (PF).....	101	<i>vestura (28)</i> .....	74	<i>water for irrigation, sterile</i> .....	103
TYBOST.....	106	VIBERZI.....	87	WELCHOL.....	66
TYKERB.....	25	<i>vicodin</i> .....	5	<i>wera (28)</i> .....	75
TYMLOS.....	104	<i>vicodin es</i> .....	5	XADAGO.....	43
TYPHIM VI.....	101, 102	<i>vicodin hp</i> .....	5	XALKORI.....	26
TYSABRI.....	99	VICTOZA.....	34	XARELTO.....	53
TYVASO.....	115	VIDEX 2 GRAM		XATMEP.....	26
UCERIS.....	103	PEDIATRIC.....	49	XELJANZ.....	99
UDENYCA.....	54	VIDEX 4 GRAM		XELJANZ XR.....	99
ULORIC.....	38	PEDIATRIC.....	49	XERMELo.....	87
UNITUXIN.....	25	VIDEX EC.....	49	XGEVA.....	104
UPTRAVI.....	115	VIEKIRA PAK.....	50	XIFAXAN.....	12
<i>ursodiol</i> .....	86	VIEKIRA XR.....	50	XIIDRA.....	84
<i>valacyclovir</i> .....	52	<i>vienna</i> .....	74	XOFLUZA.....	50
VALCHLOR.....	76	<i>vigabatrin</i> .....	29	XOLAIR.....	113
<i>valganciclovir</i> .....	52	<i>vigadrone</i> .....	29	XOSPATA.....	26

XTAMPZA ER.....	6	ZORBTIVE.....	94
XTANDI.....	26	ZORTRESS.....	99
<i>xulane</i> .....	75	ZOSTAVAX (PF).....	102
XULTOPHY 100/3.6.....	35	<i>zovia 1/35e (28)</i> .....	75
XURIDEN.....	106	<i>zovia 1/50e (28)</i> .....	75
<i>xylon 10</i> .....	6	ZOVIRAX.....	76
XYREM.....	114	ZUBSOLV.....	9
YERVOY.....	26	ZYDELIG.....	26
YF-VAX (PF).....	102	ZYKADIA.....	26
YONDELIS.....	26	ZYLET.....	83
YONSA.....	26	ZYPREXA RELPREVV..	46, 47
<i>yuvafem</i> .....	90	ZYTIGA.....	26
<i>zafirlukast</i> .....	111		
<i>zaleplon</i> .....	114		
ZALTRAP.....	26		
<i>zarah</i> .....	75		
ZARXIO.....	54		
<i>zebutal</i> .....	6		
ZEJULA.....	26		
ZELBORAF.....	26		
<i>zenatane</i> .....	76		
<i>zenchent (28)</i> .....	75		
ZENPEP.....	81		
ZEPATIER.....	50		
ZERIT.....	49		
<i>zidovudine</i> .....	49, 50		
<i>ziprasidone hcl</i> .....	46		
ZIRGAN.....	83		
ZOHYDRO ER.....	6		
ZOLADEX.....	26		
<i>zoledronic acid</i> .....	104		
<i>zoledronic acid-mannitol-water</i> .....	104		
<i>zoledronic ac-mannitol-0.9nacl</i>	104		
ZOLINZA.....	26		
<i>zolmitriptan</i> .....	39		
<i>zolpidem</i> .....	114		
ZOMACTON.....	94		
ZOMETA.....	104		
<i>zonisamide</i> .....	30		

This formulary was updated on 01/31/2019. For more recent information or other questions, please contact TEAMStar Medicare Part D (PDP) Customer Service at 1-866-524-4173 or, for TTY/TDD users, 711, 7 days a week, from 8:00am to 8:00pm in your local time zone, or visit <http://www.teamstarpartd.com>.

The International Brotherhood of Teamsters Voluntary Employee Benefits Trust is a PDP with a Medicare contract. Enrollment in TEAMStar Medicare Part D (PDP) depends on contract renewal.

The formulary may change at any time. You will receive a notice when necessary.

This information is available for free in other languages. Please call our customer service number at 1-866-524-4173 or for TTY/TDD users, 711, 7 days a week, from 8:00am to 8:00pm in your local time zone.

Esta información está disponible gratuitamente en otros idiomas. Póngase en contacto con nuestro número de servicio al cliente al 1-866-524-4173 para obtener información adicional. (Los usuarios de TTY pueden llamar 711). Horas de operación son 8:00 am a 8:00 pm en su zona horaria local, siete días a la semana. Servicios al cliente tiene servicios de intérprete de lengua disponibles para hablantes de idiomas aparte de inglés.

TEAMStar Medicare Part D (PDP) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. TEAMStar Medicare Part D (PDP) does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.



\*F1445\*